


# Recreational Grounds Bernards heath, St Albans

# Dynamic Probe Investigation Report

for St Albans City and District Council





**Recreational Grounds** 

Bernards Heath, St Albans

# Dynamic Probe Investigation Report

For St Albans City and District Council

Prepared By

/ Elizabeth Hannon Graduate Geoenvironmental Engineer

Puche

Richard Puchner Principal Geotechnical Engineer

Opus International Consultants (UK) Ltd 1 South House Bond Avenue Milton Keynes MK1 1SW United Kingdom

Telephone: Date +44 1908 373383 26<sup>th</sup> January 2016

Reference: Status: J-M0220.00.Ro Final

Approved by

Reviewed By

Neil Morris Technical Director



### Contents

| 1          | Introduction |                                  |                                |    |  |
|------------|--------------|----------------------------------|--------------------------------|----|--|
| Sec        | tion A       | A Factual Informa                | tion                           | 3  |  |
| 2          | The          | Site                             |                                |    |  |
|            | 2.1          |                                  |                                |    |  |
|            | 2.2          | Site Description                 |                                |    |  |
| 3          | Mic          | rogravity Survey Ro              | eview                          |    |  |
|            | 3.1          | History of the Site              |                                |    |  |
|            | 3.2          | Summary of Results               |                                | 4  |  |
| 4          | Inve         | estigation Methodo               | logy                           |    |  |
|            | 4.1          |                                  |                                |    |  |
|            | 4.2          | Clearance of Underg              | round Services                 |    |  |
|            | 4.3          | Site Works                       |                                | 5  |  |
| 5          | Res          | ults of the Investiga            | ation                          | 7  |  |
|            | 5.1          | Strata Encountered.              |                                | 7  |  |
|            | 5.2          | Dynamic Probe Tests              | S                              | 7  |  |
| Sec        | tion H       | 3 Assessment & Rec               | commendations                  | 9  |  |
| 6          | Intr         | oduction                         |                                | 9  |  |
| 7          | Inte         | erpretation                      |                                | 10 |  |
|            | 7.1          | Inferred Ground Stal             | bility Classification          | 10 |  |
|            | 7.2          |                                  |                                |    |  |
|            | 7.3          |                                  |                                |    |  |
|            | 7.4          | Recommendations                  |                                | 13 |  |
| 8          | Fur          | ther Recommendat                 | ions                           | 14 |  |
| Dra        | wing         | e.                               |                                |    |  |
| Dia        | 0            | o220.00_100_R0                   | Site Location Plan             |    |  |
|            |              | 0220.00_100_R0<br>0220.00_101_R0 | Microgravity Survey Plan       |    |  |
|            |              | 0220.00_101_R0<br>0220.00_102_R0 | Exploratory Hole Location Plan |    |  |
| Ann        | oendi        | ces                              |                                |    |  |
| <b>P</b> P |              | ENDIX A                          | Microgravity Report            |    |  |
|            |              | ENDIX B                          | Exploratory Hole Records       |    |  |
|            |              | ENDIX C                          | Interpretation of Results      |    |  |

### 1 Introduction

This report describes a Ground Investigation undertaken on behalf of St Albans City and District Council for a site in the Bernards Heath area of St Albans, Hertfordshire. (Drawing J-M0220.00\_100\_R0)

Opus was appointed to investigate the Recreational Ground, in particular in the vicinity of the children's playground, and to assess the short term stability of the ground following the discovery of a microgravity anomaly.

This report has been prepared by Opus International Consultants (UK) Ltd (Opus) with all reasonable skill, care and diligence within the terms of the Contract with The Client (St Albans City and District Council) and taking account of the information made available by The Client, as well as the manpower and resources devoted to it by agreement with The Client. Opus disclaims any responsibility to The Client and others in respect of any matters outside the scope of the above Contract.

The objectives of the current investigation were to carry out a dynamic probe investigation of the site, comprising a number of tests to determine the ground conditions in the vicinity of the microgravity anomaly present beneath the Heath, therefore determining the possible risk of ground stability beneath the site.

This report should not be relied upon or transferred to any other parties without the express written authorisation of Opus. If any unauthorised Third Party comes into possession of this report, they rely on it at their own risk and the authors owe them no duty of care or skill.

Whilst this report may express an opinion on the possible ground conditions beyond exploratory hole positions or on the possible presence of features based on visual, verbal or published evidence, this is for guidance only, and no liability can be accepted for its accuracy.

The comments on groundwater conditions are based on observations made at the time of the investigation. It should be noted, however, that groundwater levels may vary from those reported due to seasonal or other effects.

The site plans enclosed in this report should not be used for scaling purposes.

This report has been produced following on from a microgravity survey carried out by Geotechnology Ltd in November 2015. It should be noted that at the time the site work associated with the current investigation was carried out, only draft geophysics data was available and a final geophysics report with data interpretation was subsequently provided on 23<sup>rd</sup> December 2016.

# Section A Factual Information

## 2 The Site

### 2.1 Location & Access

The site is surrounded by open park land located to the north of Sandridge Road, St Albans and is approximately 0.1 hectares in area, with Bridle Close, Fontmell close and Heathside to the north. There are residential properties to the north south and east, with the playing fields of Heathlands School to the north west.

The site location is shown on the appended Drawing No. J-M0220.00\_100\_R1 and is centred at approximate National Grid Reference 515400, 208315.

At the time of the investigation, pedestrian access was gained off Sandridge Road.

### 2.2 Site Description

At the time of the investigation, the site comprised of a children's playground with a climbing frame including a slide, swings, a roundabout and a rocker. These were located on rubber flooring surrounded by grass, and enclosed with a metal fence and a hedge to the north west and north east sides. Surrounding the playground was a maintained vegetated recreational open park land including a hardtop basketball court to the west and a number of trees lining Sandridge Road to the south. A footpath connects the playground to the road, this is currently extended northward creating a temporary footpath leading to Bridle Close and Fontmell close, via wooded area north of the playground.

In general the site was level and at approximately 125m above Ordnance Datum (aOD).

## 3 Microgravity Survey Review

In December 2015 Geotechnology Ltd prepared a microgravity survey (report number 1557r1v1d1115) of Bernards Heath including the playground, topographic features to the north of the heath and the temporary footpath. This survey was commissioned following the appearance of an approximate 12m diameter crown hole in the nearby Fontmell Close. As such it was determined that in the interests of public safety the recreational ground also needed to be investigated.

### 3.1 History of the Site

The earliest available map from 1878 reveals that the site comprised of heathland however there are a numerous clay pits, two brick kilns, two lime kilns and three shafts shown close by. The presence of these features suggests that clay / gravel and probably chalk were being extracted in the area at this time. The closest of the aforementioned features is a clay pit located to the north of site on the edge of the heath bordering the area now occupied by Fontmell Close and Bridle Close.

By the 1889 map the majority of these features are no longer shown and those that do remain are referred to as Old Clay Pits apart from the clay pits north of the recreation ground which have grown in size.

By 1924 the clay pits to the north are beginning to be infilled to the west, these pit continue to be infilled until all that remains are the topographic features present today.

#### 3.1.1 Geology

According to the inspected published geological information (BGS Sheet 239 'Hertford' 1:50000 scale, Drift edition) and the BGS GeoIndex website; the site is shown to be underlain by the Kesgrave Catchment Subgroup superficial drift deposits. These strata comprise fluvial gravels associated with the early River Thames.

The solid geology across the site is shown as the Lambeth Group which unconformably sits above the White Chalk Subgroup. The Lambeth Group comprises variable sequences of clay, silts and sands with some gravel and occasional limestone or sandstone beds. Beneath this is the White Chalk Subgroup, comprising chalk with flints.

### 3.2 Summary of Results

The results of the microgravity survey are shown in Drawing No. J-MO220.00\_101\_Ro, these results are colour coded with low density bodies corresponding to the areas of lower gravity (coloured blue or green). It is evident from the survey results that there a number of microgravity anomalies beneath the heath and the subject site. The largest of these is located south eastern area of the playground and beyond (labelled as anomaly 12) and is reported to exist 19m below the ground surface (bgl). Anomaly 12 stretches towards the smaller anomaly 11 which is located on the edge of a topographical depression to the north east of the site. There are a number of additional gravity anomalies throughout the area of the heath surveyed, however these are noted to be considerably smaller.

It has been recommended by Geotechnology Ltd that all microgravity anomalies are investigated, thus determining their root cause and specifically addressing whether it is natural cavities / solution features, manmade voids or other features causing the microgravity anomaly.

# 4 Investigation Methodology

### 4.1 Objectives

Given the conclusions of the microgravity survey, the objectives of the current investigation are as follows;

- Investigate gravity anomaly 12
- Determine the risk of ground instability in relation to the playground

The ground investigation techniques adopted for the investigation were requested by The Client and were to include Dynamic Penetrometer Testing. The location of the exploratory holes were chosen by Opus based on the microgravity survey carried out for the site to achieve good site coverage, while investigating gravity anomaly 12, as well as considering the anticipated ground conditions, bearing in mind the nature of the site, limitations to site access in some areas due to existing structures.

The site work commenced on the  $18^{th}$  December 2015 and comprised 5No. Dynamic penetrometer tests with associated trial pits, being completed under the supervision of Opus. The exploratory hole locations are shown on the drawing J-M3898.00\_102\_R1.

### 4.2 Clearance of Underground Services

In addition to the above, the positions were scanned by Opus with a cable avoidance tool (CAT) as a further precautionary measure.

### 4.3 Site Works

Super Heavy Dynamic Probing (DPSH-B) was carried in accordance with BS EN ISO 22476-2, BS EN 1997-2 AN NA to BS EN 1997-2. Probing involves the driving of a metal cone into the ground using a series of steel rods. These rods are driven into the ground using a hammer system that repeatedly lifts and releases a 63.5kg weigh onto the rods from a set height, ensuring a constant energy input. The number of hammer blows required to drive the cone into the ground by 100mm are recorded, giving a comparative assessment from which correlations with engineering parameters can be generated.

Before coming dynamic testing a 1.20m bgl trial pit was hand dug to ensure the absence of any services. All exploratory holes were logged by a qualified Opus Geo-Environmental Engineer in accordance with BS 5930:2015 'Code of Practice for Ground Investigations', incorporating requirements of BS EN ISO 14688-1+2:2002+2003 'Geotechnical Investigation and Testing – Identification and Classification of Soil'.

Dynamic Penetrometer and Trial pit logs are presented in Appendix 'B'

Five dynamic probe holes (DP301 to DP305) were advanced using a tracked percussive window sampling rig to depths of between 2.30m and 23.30m bgl to provide good site coverage. On completion, the dynamic penetrometer holes and trial pits were backfilled with bentonite pellets and finished with arisings in the top 0.5m to preserve the usual appearance of the playground. For a summary of individual tests please see the table below;

| Exploratory Hole ID | Depth (m)     |
|---------------------|---------------|
| DP301               | 23.30         |
| DP302               | 10.00         |
| DP303               | 9.00          |
| DP304               | 2.3 (refusal) |
| DP305               | 20.00m        |

#### Table 4.1: Individual Dynamic penetrometer tests.

### 5 Results of the Investigation

### 5.1 Strata Encountered

#### 5.1.1 Topsoil

Topsoil was encountered in all trial pits from ground level to 0.70m bgl. The topsoil comprised soft dark brown sandy clay.

#### 5.1.2 Made Ground

Made Ground was encountered within all exploratory holes from 0.20m to 1.20m bgl. The Gade Ground comprised firm, orange brown sandy gravelly clay. The gravel is fine to coarse angular to rounded clinker, brick and flint. Occasional low cobble content, comprising angular to rounded flint was present.

#### 5.1.3 Lambeth Group

The Lias Group was encountered underlying the made ground in TP304A from 0.75m bgl to completion at 1.20m bgl. The cohesive Lambeth Group comprised firm light orange brown mottled grey slightly sandy gravely clay. The gravel is fine to coarse, angular to rounded flint.

### **5.2 Dynamic Probe Tests**

#### 5.2.1 Introduction

Dynamic probing is a method of site investigation allowing a rapid assessment of ground conditions where sample recovery is not required, typically carried out as a precursor to more intrusive forms of investigation. The 'Blow Count' from dynamic probing gives a relative assessment of 'ground strength' but cannot be used to definitively confirm the actual composition of the geological strata, therefore any reference to strata composition is an interpretation, subject to confirmatory testing at a later date.

#### 5.2.2 DP301

The dynamic probe results show that the ground at this location has a variable strength profile from ground level to 7.00m bgl. Between 7.00m to 9.50m bgl the readings level out representing a layer interpreted to comprise firm strata before they become lower strength from 9.50m to 10.30, when they gradually begin to increase in strength with depth. From 23.00m to completion the strata are very firm to strong.

#### 5.2.3 DP302

The dynamic probe results show that from ground level to 4.30m bgl the strata are of low strength which is increasing with depth. Between 4.30m to 10.00 bgl the readings while fairly variable do indicate that the strata is of moderate strength.

#### 5.2.4 DP303

The dynamic penetrometer results show that the ground at this location has a concordant strength profile from ground level to 6.80m bgl representing moderately strong strata. Between 6.80m to 7.20m bgl the readings increase demonstrating a layer of strata of reasonable strength before they

decrease to a lower strength profile at 7.20m to 8.00m bgl, where the strength profile increases to strong until completion at 9.00m bgl.

#### 5.2.5 DP304

The dynamic penetrometer results show that the ground at this location has an initially low strength profile from ground level to 1.60m bgl. Between 1.60m to 2.30m bgl the readings rapidly increase until a refusal at 2.30m bgl.

#### 5.2.6 DP305

The dynamic penetrometer results show that the ground at this location has a variable strength profile from ground level to 9.00m bgl. Between 9.00m to 10.60m bgl the readings increase and level out representing a layer of moderately strong strata before they become lower strength from 10.60m to 12.40 when they gradually begin to strengthen up again with depth. An area of lower strength strata is identifiable between 14.70m to 15.10m bgl. At 16.20m bgl a very strong section was encountered, before the strength profile lowers slightly between 17.20m and 18.20m. From 18.20m to completion the strata once again strengthens.

# Section B Assessment & Recommendations

# 6 Introduction

This report has been prepared to provide preliminary information specific to the ground conditions at the site.

Recommendations made within this report should be considered to be preliminary and subject to ongoing review as additional information comes to light.

Should the proposed site usage change significantly from that of a recreational grounds and associated playground, the contents of this report will require review and amendment as appropriate.

## 7 Interpretation

### 7.1 Inferred Ground Stability Classification

From the results of the Dynamic Probing it is possible to extrapolate the general strength properties of the ground beneath the site. This classification requires the equivalent SPT 'N' blow counts to be derived from the dynamic probe tests, this was completed by adding three consecutive results to give the blows per 300mm N value as used in SPT's. These values were in turn used to calculate the  $N_{60}$  value which is used to infer the strength of cohesive soils using the relationship suggested in Stroud (1974). (Stroud, M. A. 1974, "The Standard Penetration Test – its application and interpretation", Proc. ICE Conf. on Penetration Testing in the UK, Birmingham. Thomas Telford, London.)

| SPT 'N' blow count (blows/300mm) | Classification |
|----------------------------------|----------------|
| 0 - 4                            | Very Loose     |
| 4 - 10                           | Loose          |
| 10 - 30                          | Medium Dense   |
| 30 - 50                          | Dense          |
| >50                              | Very dense     |

Table 7.1: Terms for the classification of relative density in non-cohesive soils, taken from BS 5930:2015

| ] | Table 7.2: Terms | for the classification | of cohesive soils usi | ing N60, taken from | Stroud (1974) |
|---|------------------|------------------------|-----------------------|---------------------|---------------|
|   |                  |                        |                       |                     |               |

| Corrected N <sub>60</sub> blow count (blows/300mm) -<br>Clays | Classification |
|---|----------------|
| 0 - 4   | Very Soft      |
| 4 - 8   | Soft           |
| 8 - 15  | Firm           |
| 15 - 30   | Stiff          |
| 30 - 60   | Very Stiff     |
| >60   | Hard           |

#### Table 7.3: Terms for the classification of Chalk using N<sub>60</sub>, taken from Stroud (1974)

| Corrected N60 blow count (blows/300mm) -<br>Chalk | Classification                   |  |  |
|---|----------------------------------|--|--|
| 0 - 25  | Very Weak                        |  |  |
| 25 - 100  | Weak                             |  |  |
| 100 - 250   | Moderately Weak                  |  |  |
| >250  | Moderately Strong to Very Strong |  |  |

When analysing the results of the dynamic penetration testing the geology has been simplified to that of Chalk and Clay, this is based on the strata logged within the trial pits and the expected geology beneath the site with reference to geological mapping and experience of working in adjacent areas. Recorded throughout the site are Lambeth Group Clays (the Made Ground beneath the site comprise natural strata mixed with anthropogenic waste), beneath this is the White Chalk Subgroup. None of

the exploratory holes contained any Kesgrave Catchment Subgroup cohesive deposits, as such this unit was excluded from the interpretation of the results.

It should be noted that the inferred geological profile discussed in this report is tentative and would need to be confirmed by more intrusive forms of investigation should more reliable data be needed at a later date.

The upper boundary of the chalk was inferred by a comparatively weaker zone that occurred at approximately the same depth beneath the site (6.20m - 7.20m bgl), this boundary was not visually encountered within any of the exploratory holes and as such is unverified.

The full calculations and subsequent interpretations are presented in Appendix 'C'

#### 7.1.1 DP301

Strata interpreted to comprise clay strata were encountered at this location to approximately 6.00m depth and is initially judged to be firm before becoming stiffer after 1.50m bgl. The strata then appears to increase in strength for approximately 1.00m before softening for roughly 0.50m, the strata then becomes very stiff until approximately 6.00m bgl at which point the chalk Formation is judges to be present.

The chalk is initially very weak for approximately 0.50m before it strengthens slightly, at 9.60m bgl the chalk deteriorates to very weak, this persists until 13.20m bgl apart from a weak band at roughly 11m bgl. From 13.20m to 23.20m bgl (when the hole was terminated) the chalk has a fairly uniform weak classification apart from a layer of very weak to weak strata at 20.00m bgl.

#### 7.1.2 DP302

Initially judged to be soft the strata appears to increase in strength at 1.80m bgl where it is thought to be firm, this persists until 3.00m bgl when the ground strengthens again to become stiff until 4.50m bgl, apart from an approximately 0.50m deep layer of firm strata at roughly 3.50m bgl. Below 4.50m to 6.90m bgl the strata determined to be clay seems to be very stiff with two bands of softer strata at 5.70m and 6.30m bgl, beneath this is a layer of stiff to very stiff strata that is considered to lie unconformably on the chalk.

The top of the chalk is interpreted at 7.20m bgl where it is very weak, at 7.50m bgl it strengthens slightly, this continues until 10.00m bgl (when the exploratory hole was completed), apart from a section judged to be very weak chalk occurring at 9.30m bgl.

#### 7.1.3 DP303

The initial classification of the clay was assessed to be very stiff, with a reduction in strength by 1.50m bgl, apart from bands of very stiff strata at 4.10m and 5.10m bgl, this persisted until 6.00m bgl where it strengthens once more. Except for a band of very strong strata at 6.60m bgl this classification continued until approximately 7.50m bgl where the top of the Chalk Formation is judged to start.

At this location the chalk is unvaryingly classified as weak until the completion of the exploratory hole at 9.00m bgl

#### 7.1.4 DP304

The initial strength of the clay encountered was judged to be soft to firm, this classification rapidly increased in strengths to very stiff at 1.80m bgl. This exploratory Hole was terminated at 2.10m due to a refusal of the drilling equipment.

#### 7.1.5 DP305

The clay encountered in this exploratory hole is determined to be classified as stiff between 1.20m to 7.10m bgl where it is judged to overlie the chalk, except for a small band of lower strength strata at 1.50m bgl.

The top of the chalk is classified as very weak, this strengthens slightly at 9.00m bgl this evaluation persists until 20.00m bgl (termination of the hole). Below 9.00m bgl there are two sections where the classification changes, at 11.70m bgl the chalk it was judged to be very weak and an area of harder strata at 15.90m bgl.

### 7.2 Health & Safety

Due to recent collapses in the immediate vicinity of Bernards Heath, microgravity anomaly 12 was investigated from an area of safety into more hazardous areas. The exploratory holes were positioned in such a way that the investigation worked its way toward the centre of microgravity anomaly 12, and although the investigation got close, the centre of the anomaly was avoided ensuring the safety of the drilling crew.

Opus have an agreed safety protocol in place for all site investigations in the vicinity of suspected unstable ground. Whereby it is only permitted to investigate with heavy drilling machinery, once near surface conditions have been verified as safe using lighter investigation equipment such as dynamic probing.

On this site, since no near surface voids or potentially unstable ground has been encountered, then it may be appropriate to proceed with more extensive site investigation at a later date, if required appropriate methods and risk assessments would have to be agreed in advance.

### 7.3 Conclusions

The investigation has targeted microgravity anomaly 12, in particular the area below Bernards heath Playground, it was ensured that multiple probes extended below 19.00m bgl as it was at that depth that the microgravity report suggested a void was present.

During the course of the investigation there were no voids or areas of very soft strata encountered, with the lowest SPT 'N' value being 6 blows per 300mm, which while indicating soft ground strongly suggests that there are no voids present within the exploratory hole depths. These results tentatively suggest that the ground beneath the playground is probably stable in the short term and of reasonable strength. This does not however gives any indication as to the origin(s) of microgravity anomaly 12.

With respect to anomaly 12, the findings of this investigation indicate that there is a low probability of voids forming beneath the playground on the short term as a result of ground instability caused by chalk dissolution or chalk mining.

However, the cause of the negative microgravity anomaly labelled as number 12 and also the other anomalies within the Bernards Heath area remains unconfirmed at this time. There remains therefore a possibility that voids caused by mining or dissolution of the chalk may exist in the area below depths of current investigation or between or away from the positions of the current probe points.

It would be prudent to consider further more extensive investigation at a later date to assess the long term stability of the ground at Bernards Heath, especially with regards to anomalies 7/8/9 and 12.

It should be noted that this assessment is specific to continued use of the subject site as a recreational play area which is a low risk usage with regard to potential for induced ground instability. Further assessment would be required if the site usage is to change or if heavy machinery is required to traffic across the site.

### 7.4 Recommendations

Any recommendations made within this report are considered the most appropriate considering a number of factors including investigation findings, financial and safety implications. All design recommendations are considered to be achievable within a safe system of work.

Any recommendations suggested within this report should be carried out in line with current best practice and regulatory requirements. It is considered that the contractor carrying out any recommendations contained within this report will be aware of the standard construction processes involved and have detailed knowledge of the relevant health and safety measures.


### 8 Further Recommendations

The following additional works are recommended at this site:-

a) Further intrusive investigation to include; assessment of Anomaly No.7 and deeper assessment of anomaly 12 to assess the long term ground stability of the Bernards Heath recreational area.

### **DRAWINGS**

J-M0220.00\_100\_R0 J-M0220.00\_101\_R0 J-M0220.00\_102\_R0 Site Location Plan Microgravity survey Plan Exploratory Hole Location Plan



|           | BY    | CHECKED | DATE   |
|-----------|-------|---------|--------|
| DESIGN    | EDH   | NM      | Jan 16 |
| DRAWN EDH |       | NM      | Jan 16 |
| APPROVED  | ). NM |         |        |

This drawing and its contents are the property of Opus International Consultants Limited. Any authorised employment or reproduction, in full or part is forbidden.



Milton Keynes Office Tel: 01908 373 383

1 South House Bond Avenue Milton Keynes MK1 1SW

Site: Bernards Heath Recreational Area

Client: St Albans District and City Council

Status: Final

File: J-M0220.00


Date: 26th January 2016 Scale: Not to scale

Drawing Number: MK J-M0220.00\_100\_R0

# **Microgravity Survey Plan**

Reference: Geotechnology Ltd, Google Earth 2016





|          | BY   | CHECKED | DATE   |
|----------|------|---------|--------|
| DESIGN   | EDH  | NM      | Jan 16 |
| DRAWN    | EDH  | NM      | Jan 16 |
| APPROVED | : NM |         |        |

This drawing and its contents are the property of Opus International Consultants Limited. Any authorised employment or reproduction, in full or part is forbidden.



Milton Keynes Office Tel: 01908 373 383 1 South House Bond Avenue Milton Keynes MK1 1SW Site: Bernards Heath Recreational Area, St Albans

Client: St Albans City and District Council

Status: Final File: J-M0220.00


| Scale: | Not to scale | Date: | 26th January 2016 |
|--------|--------------|-------|-------------------|

Drawing Number: MK J-M0220.00\_101\_R0

## **Exploratory Hole Plan**

Reference: Geotechnology Ltd.





| APPROVED: | NM |
|-----------|----|
|           |    |

This drawing and its contents are the property of Opus International Consultants Limited. Any authorised employment or reproduction, in full or part is forbidden.



Milton Keynes Office Tel: 01908 373 383

1 South House Bond Avenue Milton Keynes MK1 1SW

Status: Final File: J-M0220.00

Date: 26th January 2016 Scale: Not to scale

Drawing Number: MK J-M0220.00\_102\_R0


# **APPENDIX** A

# **Microgravity Survey Report**

# **Microgravity Survey Plan**

Reference: Geotechnology Ltd, Google Earth 2016





|          | BY   | CHECKED | DATE   |
|----------|------|---------|--------|
| DESIGN   | EDH  | NM      | Jan 16 |
| DRAWN    | EDH  | NM      | Jan 16 |
| APPROVED | : NM |         |        |

This drawing and its contents are the property of Opus International Consultants Limited. Any authorised employment or reproduction, in full or part is forbidden.



Milton Keynes Office Tel: 01908 373 383 1 South House Bond Avenue Milton Keynes MK1 1SW Site: Bernards Heath Recreational Area, St Albans

Client: St Albans City and District Council


Status: Final File: J-M0220.00

Scale: Not to scale Date: 24<sup>th</sup> January 2016

Drawing Number: MK J-M0220.00\_101\_R0

## **APPENDIX B**

# **Exploratory Hole Records**



| Probe No:  | Client:  | d District Cou | noil                        |              | 3  |                 |   |                |
|--|--|----------------|-----------------------------|--------------|--|-----------------|---|----------------|
| 301  | St Albans City ar  | a District Cou | ncli                        |              |  | //// C          | PUS                                     |                |
| 001  | Site:<br>Bernards Heath Recreational Ground  |                | www.opusinternational.co.uk |              | rnational.co.uk                            |                 |   |                |
| Project No Start Date:<br>J-M0220.00 21/12/2015                  |  | End Date:      | 21/12/2015                  | L            | Logged:<br>E[                              | ОН              | Field Records:<br>EDH                   |                |
| Easting:   | Northing:  | Ground Level   | (mAOD):                     |              | Checked:                                   | IM              | Approved:                               |                |
|  |  |                |                             |              |  |                 |   | <b>T</b>       |
| Depth<br>(m)<br>3  | Readings<br>Blows/100mm  | 1(             | Diagram (I<br>20            | N100 Va      | 30   | 4               | :0                                      | Torque<br>(Nm) |
| 11.0   | 5 6 6 5<br>5 5 8 8   |                |                             |              |  |                 |   |                |
| 12.0   | <u>6</u> <u>6</u> <u>5</u><br><u>4</u> <u>5</u> <u>5</u> <u>7</u>  |                |                             |              |  |                 |   |                |
| 13.0 -   |  |                |                             |              |  |                 |   |                |
| <u> </u>   | 7787_<br>887   |                |                             |              |  |                 |   |                |
|  | <u>8</u><br><u>12</u> <u>8</u> <u>10</u> <u>10</u><br><u>9</u> <u>8</u>  |                | <b>→</b>                    |              |  |                 |   |                |
| 15.0   | 9 <u>10</u> <u>9</u>   |                |                             |              |  |                 |   |                |
| 16.0   | <u>8</u> <u>10</u> <u>8</u><br>9 <u>9</u> <u>7</u> 7   |                |                             |              |  |                 |   |                |
| 17.0   | 8 <u>7</u> 88  |                |                             |              |  |                 |   |                |
| 18.0   | $\begin{array}{c} \underline{0} \\ $ |                | <b>→</b>                    |              |  |                 |   |                |
| 19.0-  | <u>10</u> <u>9</u> <u>8</u><br><u>10</u> <u>10</u> <u>15</u> <u>10</u>   |                | <b></b>                     |              |  |                 |   |                |
| <u> </u>   | 9 <u>8</u> <u>8</u> <u>11</u>  |                | \$                          |              |  |                 |   |                |
|  | <u>7</u> 77777777777777777777777777777777777   |                |                             | -            |  |                 |   |                |
| NOTES:<br>1. Trial pit completed a<br>2. Backfilled with arising | 1.20m bgl, see log 301a.<br>s upon completion.   | ·              |                             | Fall<br>Harr | Height (mm):<br>75<br>nmer Wt (kg):<br>63. | 50 <sup>(</sup> | Cone Base Diameter (mm):<br>Probe Type: | 50             |
|  |  |                |                             |              | <i></i>                                    |                 |   | DPSH           |
|  |  |                |                             |              |  | Sheet 2         | 2 01 3                                  |                |

| Probe No:<br>301   | Client:<br>St Albans City an<br>Site:          | d District Cou  | ıncil          |   |                 |                    | <b>DPUS</b>              |                |
|--|--|-----------------|----------------|---|-----------------|--------------------|--------------------------|----------------|
|  | Bernards Heath Re                              | ecreational Gro | ound           |   |                 | www.opusint        | ernational.co.uk         |                |
| Project No<br>J-M0220.00   | Start Date:<br>21/12/2015                      | End Date:       | 21/12/2015     |   | Logged:         | EDH                | Field Records:<br>EDH    |                |
| Easting:<br>-  | Northing:                                      | Ground Leve     | I (mAOD):<br>- |   | Checked:        | NM                 | Approved:                |                |
| Depth<br>(m) 10  | Readings<br>Blows/100mm                        | 1               | Diagram<br>0 2 |   | 3               | .0                 | 40                       | Torque<br>(Nm) |
|  |  |                 |                |   |                 |                    |                          |                |
|  |  |                 |                |   |                 |                    |                          |                |
| NOTES:<br>1. Trial pit completed at<br>2. Backfilled with arisings | 1.20m bgl, see log 301a.<br>s upon completion. |                 |                | r | Fall Height (mn | <sup>n):</sup> 750 | Cone Base Diameter (mm): | 50             |
|  |  |                 |                |   | Hammer Wt (kç   | •                  |                          | DPSH           |
|  |  |                 |                |   |                 | Sheet              | 3013                     |                |

| Exploratory Hole ID:  | Client: St Albans City and District  | Council                          |              |          |                |                             |   | OPUS   |                                  |
|---|--|----------------------------------|--------------|----------|----------------|-----------------------------|---|--|----------------------------------|
| 301A  | Site: Bernards Heath Recreational Gr   | ound                             |              |          |                |                             | www.opusinter                                       |  |                                  |
| Job No:   | -  |                                  |              |          |                | Start Date:                 |   | End Date:  |                                  |
| J-M0220.00  |  |                                  |              |          |                |                             | /12/2015  | 21/12/201  | 5                                |
| Drilling Equipment/ Excave<br>Dart C103   | ration Method:   | Co-ords:                         |              |          |                | Backfill Dat                | e:<br>/12/2015                                      | Field Records:<br>EDH                              |                                  |
|   |  | Ground Level (r                  | nAOD):       |          |                | Logged:                     | Chkd:   | Appr:  |                                  |
|   |  |                                  | 1            |          |                | ED                          | H   | NM   |                                  |
|   | Strata Description   | Depth<br>(m)                     | Level<br>(m) | Legend   | Sample<br>Type | Sample<br>Depth<br>(m)      | Tests   | Groundwater<br>Records                             | Backfill<br>Details              |
| TOPSOIL comprises sandy CLAY with is fine to coarse.                                    | sing soft concistency brown very<br>frequent rootlets and roots. Sand  | 0.25                             |              |          |                |                             |   |  | 6월 6월<br>2416년<br>2416년<br>2616년 |
| MADE GROUND   | comprising firm consistency orange<br>ey sandy gravelly CLAY. Sand is  | -                                |              |          |                |                             |   |  | ×x                               |
| fine to coarse. Gra<br>rounded flint and l  | avel is fine to coarse angular to  | 1 20                             |              |          |                |                             |   |  |                                  |
| End of  | f Exploratory Hole at 1.20 m   | 1.20                             |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  |                                  |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  |                                  |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  |                                  |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
|   |  | -                                |              |          |                |                             |   |  |                                  |
| Remarks:<br>1. Compleated at 1.20m<br>2. Backfilled with arisings                       | supon completion.  | -                                | 1            | <u> </u> |                |                             | pe Key<br>ed Representative<br>epresentative        | Test Type Key<br>(C) - Cone SPT<br>(S) - Spoon SPT | 1                                |
| <ol> <li>Density and strength d<br/>incorporating requiren<br/>14689-1:2003.</li> </ol> | escriptions are reported in accordance with the guidance stat<br>nents of BS EN ISO 14688-1:2002, BS EN ISO 14688-2:2004 | ed in BS 5930:2<br>and BS EN ISO | 015          |          |                | ES - Enviro<br>W - Water    | onmental Sample                                     | P - Pocket Pen Read<br>PID - PID Reading           | ÷                                |
|   |  |                                  |              |          |                | J - Jar San<br>P - Piston S | nple (For Chemical Testing)<br>Sample               | V - Hand Shear Vand                                | e Reading                        |
|   |  |                                  |              |          |                |                             | turbed thin-walled<br>Bulk (Disturbed)<br>rbed Core |  |                                  |
|   |  |                                  |              |          |                | Sheet:                      | Sheet 1   | of 1   |                                  |

| Probe No:   | 12                           | Client:<br>St Albans City an  | d District Cou  | uncil           |          |               |                    | PUS                      |            |
|---|------------------------------|---|-----------------|-----------------|----------|---------------|--------------------|--------------------------|------------|
| 50  | 12                           | Site:<br>Bernards Heath Re  | ecreational Gro | ound            |          |               |                    | ernational.co.uk         |            |
| Project No<br>J-N   | 10220.00                     | Start Date: 21/12/2015  | End Date:       | 21/12/2015      |          | Logged:       | EDH                | Field Records:<br>EDH    |            |
| Easting:  | _                            | Northing:   | Ground Leve     | el (mAOD):<br>- |          | Checked:      | NM                 | Approved:                |            |
| <b>5</b>  |                              |   |                 | <b>D</b> : (    |          |               |                    |                          | Torque     |
| Depth<br>(m)  |                              | Readings<br>Blows/100mm   | 1               | Diagram (       |          | 3             |                    | 10                       | (Nm)       |
| (m)<br>1.0<br>2.0<br>3.0<br>5.0<br>6.0<br>7.0<br>8.0<br>9.0 |                              | Blows/100mm         2       3       2       2         3       2       4       3         4       4       4       3         4       4       6       6         5       5       6       7         0       10       11       11         0       10       11       11         4       14       10       10         8       8       9       9         9       9       9       7         6       6       7       7         8       8       11       11         1       10       9       9         9       9       9       7         6       7       7       7         8       9       9       9         9       9       9       7         7       6       7       8         7       8       9       9         7       8       9       9         7       8       7       8 |                 | 1 1             |          |               |                    |                          |            |
| -<br>NOTES:   |                              | -   |                 |                 | Fa       | II Height (mm | ı):                | Cone Base Diameter (mm): |            |
| 1. Trial pit<br>2. Backfille                                | completed at d with arisings | 1.20m bgl, see log 302a.<br>s upon completion.  |                 |                 |          | mmer Wt (kg   | 750                |                          | 50<br>DPSH |
|   |                              |   |                 |                 | $\vdash$ |               | Sheet <sup>-</sup> |                          |            |

| Exploratory Hole ID:  | <sup>Client:</sup> St Albans City and District        | Council         |              |        |                |   |   | PUS  |                     |
|---|---|-----------------|--------------|--------|----------------|---|---|--|---------------------|
| 302A  | Site: Bernards Heath Recreational G                   | iround          |              |        |                | ,   | www.opusinterr  |  |                     |
| Job No:<br>J-M0220.00   |   |                 |              |        |                | Start Date:<br>21/1   | 2/2015  | End Date:<br>21/12/20  | 15                  |
| Drilling Equipment/ Excava<br>Dart C103                             | ation Method:   | Co-ords:        |              |        |                | Backfill Date:<br>21/1  | 2/2015  | Field Records:<br>EDH  |                     |
|   |   | Ground Level (r | nAOD):       |        |                | Logged:<br>EDH  | Chkd:   | Appr:  |                     |
|   | Strata Description                                    | Depth<br>(m)    | Level<br>(m) | Legend | Sample<br>Type | Sample<br>Depth<br>(m)  | Tests   | Groundwater<br>Records   | Backfill<br>Details |
| Remarks:<br>1. Compleated at 1.20m b<br>2. Backfilled with arisings | Exploratory Hole at 1.20 m                            | - 0.70          | 015          |        |                | B - Bulk Rep<br>ES - Environ  | Representative resentative  | Test Type Key<br>(C) - Cone SPT<br>(S) - Spoon SPT<br>P - Pocket Pen Rea | ding                |
| incorporating requirem 14689-1:2003.                                | итть ог БЪ ЕМ ISO 14688-1:2002, ВЪ EN ISO 14688-2:200 | m and bs en ISO |              |        |                | W - Water<br>U - Undisturk<br>J - Jar Samp<br>P - Piston Sa<br>UT - Undistu | bed Representative<br>le (For Chemical Testing)<br>ample<br>rbed thin-walled<br>ulk (Disturbed) | PID - PID Reading<br>V - Hand Shear Var                                  |                     |


| Probe No:   | 3              | Client:<br>St | Albans City ar  | nd Dis <sup>.</sup> | trict Cou   | ıncil          |               |      |                 |                     | С       | PUS                          |                |
|---|----------------|---------------|---|---------------------|-------------|----------------|---------------|------|-----------------|---------------------|---------|------------------------------|----------------|
|   |                |               | rnards Heath R  | ecreat              | ional Gro   | ound           |               |      |                 | www.o               | pusinte | ernational.co.uk             |                |
| Project No<br>J-N   | 10220.00       | ·             | Start Date:<br>21/12/2015                             |                     | End Date:   | 21/12/2015     |               |      | Logged:         | EDH                 |         | Field Records:<br>21/12/2015 |                |
| Easting:  | -              |               | Northing:<br>-  |                     | Ground Leve | l (mAOD):<br>- |               |      | Checked:        | NM                  |         | Approved:                    |                |
| Depth<br>(m)  |                |               | adings<br>s/100mm                                     |                     | 1           | Dia<br>0       | gram (N<br>20 | J100 | Values)<br>3    | 0<br>               | 4       | 0                            | Torque<br>(Nm) |
| 1.0<br>2.0<br>3.0<br>4.0<br>5.0<br>6.0<br>7.0<br>8.0<br>9.0 |                | 8             | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |                     |             |                |               |      | Fall Height (mn | 760                 |         | Cone Base Diameter (mm)      | 50             |
| 2. Backfille  | d with arising | s upon con    | npletion.   |                     |             |                |               |      | Hammer Wt (kg   | <sup>))</sup> 63.50 | P       | Probe Type:                  | DPSH           |
|   |                |               |   |                     |             |                |               |      |                 | :                   | Sheet 1 | 1 of 1                       |                |

| Exploratory Hole ID:   | Client: St Albans City and District   | Council                           |                  |        |                |  |  | O   | PUS  |   |
|--|---|-----------------------------------|------------------|--------|----------------|--|--|---|--|---|
| 303A   | Site: Bernards Heath Recreational Gr  | round                             |                  |        |                |  |  |   |  |   |
| Lefe Max   |   |                                   |                  |        |                | Start Date:  | www.opusi  |   | d Date:  |   |
| Job No:<br>J-M0220.00  |   |                                   |                  |        |                |  | /12/2015   | End   | 21/12/201  | 5   |
| Drilling Equipment/ Excave<br>Dart C103  | ation Method:   | Co-ords:                          |                  |        |                | Backfill Da<br>21  | te:<br> /12/2015   | Fie   | ld Records:<br>EDH   |   |
|  |   | Ground Level (I                   | mAOD):           |        |                | Logged:<br>ED  | Chkd<br>DH   | :<br>NM   | Appr:  |   |
|  | Strata Description  | Depth<br>(m)                      | Level<br>(m)     | Legend | Sample<br>Type | Sample<br>Depth<br>(m)   | Tests  |   | Groundwater<br>Records   | Backfill<br>Details                             |
| CLAY with freque   | sing firm consistency brown sandy<br>nt rootlets and roots. Sand is fine  | 0.30                              | (11)             |        |                | (11)   |  |   |  | 5× 0×<br>0-0×<br>000000000000000000000000000000 |
| to coarse.<br>MADE GROUND  | /<br>comprising firm consistency light brown<br>AY. Sand is fine to coarse.   | 0.70                              | -                |        |                |  |  |   |  |   |
| Gravel is fine med<br>brick.   | lium angular to rounded flint and   | 1.20                              | -                |        |                |  |  |   |  |   |
| brown sandy grave  | comprising firm consistency orange<br>elly CLAY. Sand is fine to coarse.<br>parse angular to rounded flint  |                                   | -<br>-<br>-<br>- |        |                |  |  |   |  |   |
|  | f Exploratory Hole at 1.20 m  |                                   |                  |        |                |  |  |   |  |   |
|  |   |                                   | -                |        |                |  |  |   |  |   |
|  |   |                                   | -                |        |                |  |  |   |  |   |
|  |   |                                   | -                |        |                |  |  |   |  |   |
|  |   |                                   | -                |        |                |  |  |   |  |   |
|  |   |                                   | -                |        |                |  |  |   |  |   |
|  |   |                                   | -<br>-<br>-<br>- |        |                |  |  |   |  |   |
|  |   |                                   |                  |        |                |  |  |   |  |   |
|  |   |                                   | -                |        |                |  |  |   |  |   |
|  |   |                                   | -                |        |                |  |  |   |  |   |
|  |   |                                   | -                |        |                |  |  |   |  |   |
|  |   |                                   |                  |        |                |  |  |   |  |   |
|  |   |                                   | -                |        |                |  |  |   |  |   |
|  |   |                                   |                  |        |                |  |  |   |  |   |
| <ol> <li>Remarks:</li> <li>Compleated at 1.20m I</li> <li>Backfilled with arisings</li> <li>Density and strength d<br/>incorporating requiren<br/>14689-1:2003.</li> </ol> | bgl.<br>upon completion.<br>escriptions are reported in accordance with the guidance sta<br>nents of BS EN ISO 14688-1:2002, BS EN ISO 14688-2:2004 | ted in BS 5930:2<br>and BS EN ISC | 2015             |        |                | B - Bulk R<br>ES - Envir<br>W - Water<br>U - Undist<br>J - Jar Sar<br>P - Piston<br>UT - Undis<br>LB - Large | bed Representative<br>epresentative<br>onmental Sample<br>urbed Represent<br>mple (For Chemical Te | ve (C)<br>(S)<br>P -<br>PID<br>V -<br>sting)<br>v - | t Type Key<br>- Cone SPT<br>- Spoon SPT<br>Pocket Pen Read<br>- PID Reading<br>Hand Shear Vane | •   |
|  |   |                                   |                  |        |                | Sneet:   | She  | et 1 of   | 1  |   |

| Probe No:   | 14                          | Client:<br>St Albans City a                                  | nd District Cou                                | uncil           |                     |                             | <b>DPUS</b>              |                |
|---|-----------------------------|--|--|-----------------|---------------------|-----------------------------|--------------------------|----------------|
| 00  | /-                          | Site:<br>Bernards Heath R                                    | ecreational Gro                                | ound            |                     | www.opusint                 | ernational.co.uk         |                |
| Project No<br>J-N   | /10220.00                   | Start Date: 21/12/2015                                       | End Date:                                      | 21/12/2015      | Logged:             | EDH                         | Field Records:<br>EDH    |                |
| Easting:  | -                           | Northing:<br>-   | Ground Leve                                    | el (mAOD):<br>- | Checked:            | NM                          | Approved:                |                |
| Depth<br>(m)  |                             | Readings<br>Blows/100mm                                      |  | Diagram         |                     | 30 · · · · · · · · · · ·    | 40                       | Torque<br>(Nm) |
| 1.0-  | _2                          | 24   |  |                 | <br>                |                             |                          |                |
| 2.0   | _71                         | <sup>2</sup> <u>4</u> <u>4</u> <u>6</u><br>0 <u>16 27 50</u> |  | ••              | <br><b>→</b>        |                             |                          |                |
| 3.0   |                             | -  |  |                 | <br>                |                             |                          |                |
| 4.0-  |                             | -  | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>- |                 | <br>                |                             |                          |                |
| 5.0   |                             | -  | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>- |                 | <br>                |                             |                          |                |
| 6.0   |                             | -  | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-           |                 | <br>                |                             |                          |                |
| 7.0-  |                             | -  | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>- |                 | <br>                |                             |                          |                |
| 8.0-  |                             | -  | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-      |                 | <br>                |                             |                          |                |
| 9.0-  |                             | -  | -  |                 | <br>                |                             |                          |                |
| -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>- |                             |  |  |                 | <br>Fall Height (mn | n):                         | Cone Base Diameter (mm): |                |
| 1. Trial pit  | completed at ted at 2.20m b | 1.20m bgl, see log 304a.<br>gl due to flint obstruction.     |  |                 | Hammer Wt (kg       | 750<br><sup>():</sup> 63.50 | Probe Type:              | 50<br>DPSH     |
|   |                             |  |  |                 |                     | Sheet                       | 1 of 1                   |                |

| Exploratory Hole ID:   | Client: St Albans City and District  | Council                           |        |        |                |  |   | PUS  |                     |
|--|--|-----------------------------------|--------|--------|----------------|--|---|--|---------------------|
| 304A   | Site: Bernards Heath Recreational Gr   | ound                              |        |        |                |  | www.opusinter   |  |                     |
| Job No:  |  |                                   |        |        |                | Start Date:  |   | End Date:  |                     |
| J-M0220.00   |  |                                   |        |        |                |  | /12/2015  | 21/12/201  | 5                   |
| Drilling Equipment/ Excave<br>Dart C103  | ation Method:  | Co-ords:                          |        |        |                | Backfill Da  | <sup>te:</sup><br>/12/2015  | Field Records:<br>EDH  |                     |
|  |  | Ground Level (n                   | nAOD): |        |                | Logged:  | Chkd:   | Appr:<br>NM  |                     |
|  | Strata Description   | Depth                             | Level  | Legend | Sample<br>Type | Sample<br>Depth  | Tests   | Groundwater  | Backfill<br>Details |
| brown sandy grave<br>Gravel is fine to co<br>and clinker.<br>MADE GROUND<br>sandy gravelly CL/   | comprising firm consistency orange<br>elly CLAY. Sand is fine to coarse.<br>barse angular to rounded flint<br>comprising firm consistency light brown<br>AY with a low cobble content. | (m)<br>0.20<br>                   | (m)    |        |                | (m)  |   | Records  |                     |
|  | arse. Gravel is fine to coarse<br>d flint brick and clinker. Cobbles<br>nded flint.  | 1.20                              |        |        |                |  |   |  |                     |
| Firm consistency I<br>slightly sandy very<br>coarse. Gravel is f<br>flint.   | ight orange brown mottled grey<br>gravelly CLAY. Sand is fine to<br>ine to coarse angular to rounded<br>Exploratory Hole at 1.20 m   |                                   |        |        |                |  |   |  |                     |
|  |  |                                   |        |        |                |  |   |  |                     |
| <ol> <li>Remarks:</li> <li>Compleated at 1.20m t</li> <li>Backfilled with arisings</li> <li>Density and strength d<br/>incorporating requirer<br/>14689-1:2003.</li> </ol> | ogl.<br>upon completion.<br>escriptions are reported in accordance with the guidance sta<br>tents of BS EN ISO 14688-1:2002, BS EN ISO 14688-2:2004                                    | ted in BS 5930:2<br>and BS EN ISO | 015    |        |                | B - Bulk R<br>ES - Enviro<br>W - Water<br>U - Undistr<br>J - Jar Sar<br>P - Piston<br>UT - Undis | eed Representative<br>epresentative<br>onmental Sample<br>urbed Representative<br>mple (For Chemical Testing)<br>Sample<br>turbed thin-walled<br>e Bulk (Disturbed) | Test Type Key<br>(C) - Cone SPT<br>(S) - Spoon SPT<br>P - Pocket Pen Read<br>PID - PID Reading<br>V - Hand Shear Van | -                   |
|  |  |                                   |        |        |                |  |   |  |                     |

| Probe No:<br>305                                     |                        | Albans City an  | d Dist  | trict Cou    | incil          |    |                                  |                         | OF           | vus                        |                |
|--|------------------------|---|---------|--------------|----------------|----|----------------------------------|-------------------------|--------------|----------------------------|----------------|
| 505  | <sub>Site:</sub><br>Be | ernards Heath Re                                      | ecreati | onal Gro     | ound           |    |                                  | www.op                  | usinternatio |                            |                |
| Project No<br>J-M0220.00                             | 1                      | Start Date: 21/12/2015                                |         | End Date:    | 21/12/2015     |    | Logged:                          | EDH                     | Field        | l Records:<br>EDH          |                |
| Easting:<br>-  |                        | Northing:   |         | Ground Level | l (mAOD):<br>- |    | Checked:                         | NM                      | Арр          | roved:                     |                |
| Depth<br>(m)   |                        | adings<br>s/100mm                                     |         | 1            |                | 20 |                                  | 30                      | 40           |                            | Torque<br>(Nm) |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 9                      | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |         |              |                |    | Fall Height (mr<br>Hammer Wt (kg | 760                     | Cone B       | ase Diameter (mm):<br>ype: | 50             |
| 2. Backfilled with arising                           | s upon cor             | npietion.   |         |              |                |    | Hammer Wt (kç                    | <sup>a):</sup><br>63.50 | Probe T      | ype:                       | DPSH           |
|  |                        |   |         |              |                |    |                                  | S                       | Sheet 1 of 2 |                            |                |



| Exploratory Hole ID:  | Client: St Albans City and District  | Council                           |              |          |                |  |   | OPUS                   |  |
|---|--|-----------------------------------|--------------|----------|----------------|--|---|------------------------|--|
| 305A  | <sup>Site:</sup> Bernards Heath Recreational Gr  | ound                              |              |          |                | _  |   | ernational.co.uk       |  |
| Job No:   |  |                                   |              |          |                | Start Date   |   | End Date:              |  |
| J-M0220.00  |  |                                   |              |          |                |  | /12/2015  | 21/12/20               | 15                                       |
| Drilling Equipment/ Excave<br>Dart C103   | ation Method:  | Co-ords:                          |              |          |                | Backfill Da<br>21  | <sub>ite:</sub><br> /12/2015  | Field Records:<br>EDH  |  |
|   |  | Ground Level (r                   | nAOD):       |          |                | Logged:<br>ED  | Chkd:<br>DH   | Appr:<br>NM            |  |
|   | Strata Description   | Depth<br>(m)                      | Level<br>(m) | Legend   | Sample<br>Type | Sample<br>Depth<br>(m)   | Tests   | Groundwater<br>Records | Backfill<br>Details                      |
| TOPSOIL firm cor<br>frequent rootlets a<br>coarse. TOPSOIL  | nsistency brown sandy CLAY with and roots. Sand is fine to   |                                   | ()           |          |                | (11)   |   |                        | 6 년 6 년<br>5 년 6 년<br>6 년 6 년<br>8 년 8 년 |
| MADE GROUND<br>brown mottled gre  | comprising firm consistency orange<br>y sandy gravelly CLAY. Sand is<br>avel is fine to coarse angular to  | 0.50                              |              |          |                |  |   |                        |  |
| rounded flint and o   | r Exploratory Hole at 1.20 m   | 1.20                              |              |          |                |  |   |                        |  |
|   |  |                                   |              |          |                |  |   |                        |  |
| Remarks:<br>1. Compleated at 1.20m I<br>2. Backfilled with arisings<br>3. Density and strength d<br>incorporating requiren<br>14689-1:2003. | bgl.<br>upon completion.<br>lescriptions are reported in accordance with the guidance sta<br>nents of BS EN ISO 14688-1:2002, BS EN ISO 14688-2:2004 | ted in BS 5930:2<br>and BS EN ISO | 015          | <u> </u> |                | B - Bulk R<br>ES - Envir<br>W - Water<br>U - Undist<br>J - Jar Sar<br>P - Piston<br>UT - Undis<br>LB - Large | bed Representative<br>epresentative<br>onmental Sample<br>urbed Representativ<br>mple (For Chemical Testing<br>Sample<br>sturbed thin-walled<br>be Bulk (Disturbed)<br>rrbed Core | ) V - Hand Shear Var   |  |
|   |  |                                   |              |          |                |  | Sheet   |                        |  |

# **APPENDIX C**

# **Interpretation of Results**

| DP301 | Depth below ground (m) | Blows per 100mm | SPT 'N' | Corrected N <sub>60</sub> | Classification      | Strata |
|-------|------------------------|-----------------|---------|---------------------------|---------------------|--------|
|       | 1.2<br>1.3<br>1.4      | 4<br>4<br>5     | 13      | 12                        | Firm                | Clay   |
|       | 1.4<br>1.5<br>1.6      | 5               | 20      | 19                        | Stiff               | Clay   |
|       | 1.7                    | 8               |         |                           |                     |        |
|       | 1.9                    | 9<br>15         | 32      | 30                        | Stiff to Very Stiff | Clay   |
|       | 2.1<br>2.2             | 10<br>6         | 23      | 22                        | Stiff               | Clay   |
|       | 2.3<br>2.4<br>2.5      | 7<br>11<br>12   | 37      | 35                        | Very Stiff          | Clay   |
|       | 2.5                    | 12<br>14<br>20  | 37      |                           | verystin            | Clay   |
|       | 2.8<br>2.9             | 28<br>23        | 71      | 67                        | Hard                | Clay   |
|       | 3.0 3.1                | 29<br>10<br>10  | 49      | 47                        | Very Stiff          | Clay   |
|       | 3.2<br>3.3<br>3.4      | 6               | 18      | 17                        | Stiff               | Clay   |
|       | 3.5                    | 6               |         |                           |                     |        |
|       | 3.7<br>3.8<br>3.9      | 5<br>7<br>7     | 16      | 15                        | Firm to Stiff       | Clay   |
|       | 4.0                    | 14<br>12        | 33      | 36                        | Very Stiff          | Clay   |
|       | 4.2                    | 10<br>14        | 34      | 37                        | Very Stiff          | Clay   |
|       | 4.4<br>4.5<br>4.6      | 10<br>7<br>11   | 33      | 36                        | Very Stiff          | Clay   |
|       | 4.7<br>4.8             | 15<br>11        |         |                           |                     |        |
|       | 4.9<br>5.0<br>5.1      | 12<br>20<br>17  | 43      | 46                        | Very Stiff          | Clay   |
|       | 5.1 5.2 5.3            | 17<br>12<br>12  | 41      | 44                        | Very Stiff          | Clay   |
|       | 5.4<br>5.5             | 15<br>12        | 37      | 40                        | Very Stiff          | Clay   |
|       | 5.6<br>5.7<br>5.8      | 10<br>10<br>10  | 30      | 32                        | Very Stiff          | Clay   |
|       | 5.9<br>6.0<br>6.1      | 10<br>15<br>10  | 33      | 40                        | Very Stiff          | Clay   |
|       | 6.2                    | 8               |         | 40                        | verystin            | Citay  |
|       | 6.4<br>6.5             | 5 7             | 17      | 20                        | Very Weak           | Chalk  |
|       | 6.6<br>6.7<br>6.8      | 7<br>5<br>7     | 19      | 23                        | Very Weak           | Chalk  |
|       | 6.9<br>7.0<br>7.1      | 7<br>12<br>9    | 28      | 34                        | Weak                | Chalk  |
|       | 7.2 7.3                | 10<br>10        | 30      | 36                        | Weak                | Chalk  |
|       | 7.4<br>7.5<br>7.6      | 10<br>10<br>8   | 26      | 31                        | Weak                | Chalk  |
|       | 7.7                    | 8               | 20      | 51                        |                     | Chaix  |
|       | 7.9 8.0                | 9<br>12         | 29      | 35                        | Weak                | Chalk  |
|       | 8.1<br>8.2<br>8.3      | 9<br>10<br>10   | 29      | 35                        | Weak                | Chalk  |
|       | 8.4<br>8.5             | 9<br>9          | 26      | 31                        | Weak                | Chalk  |
|       | 8.6<br>8.7<br>8.8      | 8<br>10<br>7    | 24      | 29                        | Weak                | Chalk  |
|       | 8.9<br>9.0             | 7<br>6          |         |                           |                     |        |
|       | 9.1<br>9.2             | 7<br>7          | 20      | 24                        | Very Weak           | Chalk  |
|       | 9.3<br>9.4<br>9.5      | 5<br>5<br>3     | 13      | 16                        | Very Weak           | Chalk  |
|       | 9.6<br>9.7             | 3               | 10      | 12                        | Very Weak           | Chalk  |
|       | 9.8<br>9.9<br>10.0     | 4<br>4<br>5     | 12      | 15                        | Very Weak           | Chalk  |
|       | 10.1 10.2              | 3               |         |                           |                     |        |
|       | 10.3<br>10.4<br>10.5   | 5<br>6<br>6     | 14      | 18                        | Very Weak           | Chalk  |
|       | 10.6<br>10.7           | 5<br>4          | 15      | 19                        | Very Weak           | Chalk  |
|       | 10.8<br>10.9           | 5<br>5          | 18      | 23                        | Very Weak           | Chalk  |
|       | 11.0<br>11.1<br>11.2   | 8<br>8<br>7     | 22      | 28                        | Weak                | Chalk  |
|       | 11.3<br>11.4           | 7<br>6          |         |                           |                     |        |
|       | 11.5<br>11.6           | 6<br>5          | 17      | 22                        | Very Weak           | Chalk  |
|       | 11.7<br>11.8<br>11.9   | 5<br>4<br>5     | 14      | 18                        | Very Weak           | Chalk  |
|       | 12.0<br>12.1           | 5 7             | 19      | 24                        | Very Weak           | Chalk  |
|       | 12.2                   | 7               |         |                           |                     |        |

$$N_{60} = \frac{E_m C_B C_S C_R N}{0.60}$$

| E <sub>m</sub> (Hammer Energy Transfer)               | 0.76 |            |
|---|------|------------|
| C <sub>B</sub> (Correction of Borehole Diameter)      | 1.00 |            |
| C <sub>s</sub> (Correction of Sampling Method Factor) | 1.00 |            |
| C <sub>₽</sub> (Correction of Rod Length)             |      | Rod length |
| C <sub>R</sub> (correction of Rod Length)             | 0.75 | < 4m       |
|   | 0.85 | 4 - 6m     |
|   | 0.95 | 6 - 10m    |
|   | 1.00 | > 10m      |

Interpretated a change to chalk due to an area of softer strata that correlates across the investigation, this is taken as the weathered chalk surface

| 00201              | Depth below ground (m) | Blows per 100mm | SPT 'N' | Corrected N <sub>60</sub> | Classification    | Strata  |
|--------------------|------------------------|-----------------|---------|---------------------------|-------------------|---------|
| DP301<br>Continued | 12.3<br>12.4           | 6               |         | 23                        |                   | Chalk   |
| continued          | 12.5                   | 6<br>6          | 18      | 25                        | Very Weak         | Chaik   |
|                    | 12.6<br>12.7           | 5               | 17      | 22                        | Very Weak         | Chalk   |
|                    | 12.8<br>12.9           | 6<br>5          |         |                           |                   |         |
|                    | 13.0                   | 6               | 18      | 23                        | Very Weak         | Chalk   |
|                    | 13.1<br>13.2           | 7 8             |         |                           |                   |         |
|                    | 13.3<br>13.4           | 7               | 22      | 28                        | Weak              | Chalk   |
|                    | 13.5<br>13.6           | 8               | 22      | 28                        | Weak              | Chalk   |
|                    | 13.7                   | 7               |         | 20                        | Weak              | Chaik   |
|                    | 13.8<br>13.9           | 8               | 23      | 29                        | Weak              | Chalk   |
|                    | 14.0                   | 7 8             |         |                           |                   |         |
|                    | 14.2<br>14.3           | 8<br>12         | 28      | 35                        | Weak              | Chalk   |
|                    | 14.4                   | 8               | 28      | 35                        | Maak              | Chalk   |
|                    | 14.5<br>14.6           | 10<br>10        | 20      | 33                        | Weak              | Chaik   |
|                    | 14.7<br>14.8           | 10<br>9         | 27      | 34                        | Weak              | Chalk   |
|                    | 14.9<br>15             | 8               |         |                           |                   |         |
|                    | 15.1<br>15.2           | 8               | 25      | 32                        | Weak              | Chalk   |
|                    | 15.3                   | 9               |         |                           |                   |         |
|                    | 15.4<br>15.5           | 10<br>10        | 29      | 37                        | Weak              | Chalk   |
|                    | 15.6<br>15.7           | 9<br>9          | 26      | 33                        | Weak              | Chalk   |
|                    | 15.8                   | 8               | 1       |                           |                   |         |
|                    | 16.0                   | 10              | 26      | 33                        | Weak              | Chalk   |
|                    | 16.1<br>16.2           | 8               |         |                           |                   |         |
|                    | 16.3<br>16.4           | 9               | 26      | 33                        | Weak              | Chalk   |
|                    | 16.5<br>16.6           | 7               | 21      | 27                        | Weak              | Chalk   |
|                    | 16.7<br>16.8           | 7               |         |                           |                   |         |
|                    | 16.9                   | 7               | 23      | 29                        | Weak              | Chalk   |
|                    | 17.0<br>17.1           | 8               |         |                           |                   |         |
|                    | 17.2                   | 9               | 26      | 33                        | Weak              | Chalk   |
|                    | 17.4<br>17.5           | 8               | 26      | 33                        | Weak              | Chalk   |
|                    | 17.6<br>17.7           | 10<br>10        |         |                           |                   |         |
|                    | 17.8                   | 9               | 28      | 35                        | Weak              | Chalk   |
|                    | 18.0                   | 11              |         |                           |                   |         |
|                    | 18.1 18.2              | 12<br>9         | 32      | 41                        | Weak              | Chalk   |
|                    | 18.3<br>18.4           | 9<br>10         | 28      | 35                        | Weak              | Chalk   |
|                    | 18.5<br>18.6           | 9<br>8          |         |                           |                   |         |
|                    | 18.7                   | 8               | 26      | 33                        | Weak              | Chalk   |
|                    | 18.9                   | 10              | 25      |                           | Weak              | Chalk   |
|                    | 19.0<br>19.1           | 15<br>10        | 35      | 44                        | weak              | Chaik   |
|                    | 19.2<br>19.3           | 9               | 26      | 33                        | Weak              | Chalk   |
|                    | 19.4<br>19.5           | 8               |         |                           |                   |         |
|                    | 19.6<br>19.7           | 11<br>11        | 30      | 38                        | Weak              | Chalk   |
|                    | 19.8                   | 10              |         | 24                        | 1471-             | Ch - II |
|                    | 19.9<br>20             | 10 7            | 27      | 34                        | Weak              | Chalk   |
|                    | 20.1 20.2              | 7<br>6          | 20      | 25                        | Very Weak to Weak | Chalk   |
|                    | 20.3<br>20.4           | 7<br>9          |         |                           |                   |         |
|                    | 20.5<br>20.6           | 10<br>10        | 29      | 37                        | Weak              | Chalk   |
|                    | 20.7                   | 9               |         | 22                        | 1471-             | Ch - II |
|                    | 20.8<br>20.9           | 8               | 25      | 32                        | Weak              | Chalk   |
|                    | 21.0<br>21.1           | 8               | 25      | 32                        | Weak              | Chalk   |
|                    | 21.2<br>21.3           | 9<br>8          |         |                           |                   |         |
|                    | 21.4<br>21.5           | 8<br>10         | 26      | 33                        | Weak              | Chalk   |
|                    | 21.6                   | 10              | 24      | 30                        | Weak              | Chalk   |
|                    | 21.7<br>21.8           | 7 7             | 24      | UC                        | vvedK             | Cridik  |
|                    | 21.9<br>22.0           | 7 7             | 21      | 27                        | Weak              | Chalk   |
|                    | 22.1<br>22.2           | 7 8             |         |                           |                   |         |
|                    | 22.3                   | 7 8             | 23      | 29                        | Weak              | Chalk   |
|                    | 22.5                   | 8               | 24      | 20                        | Maple             | Chall   |
|                    | 22.6<br>22.7           | 8               | 24      | 30                        | Weak              | Chalk   |
|                    | 22.8<br>22.9           | 9<br>9          | 28      | 35                        | Weak              | Chalk   |
|                    | 23.0<br>23.1           | 10<br>14        |         |                           |                   |         |
|                    | 23.2                   | 14              | 25      | 32                        | Weak              | Chalk   |

|       | Depth below ground (m) | Blows per 100mm | SPT 'N'  | Corrected N <sub>60</sub> | Classification       | Strata |
|-------|------------------------|-----------------|----------|---------------------------|----------------------|--------|
| DP302 | 1.2                    | 2               | JF I N   | conected N <sub>60</sub>  | classification       | Juata  |
|       | 1.3                    | 2               | 7        | 7                         | Soft                 | Clay   |
|       | 1.4                    | 3               |          |                           |                      |        |
|       | 1.5                    | 2               | _        |                           |                      |        |
|       | 1.6                    | 2               | 6        | 6                         | Soft                 | Clay   |
|       | 1.7                    | 2 3             |          |                           |                      |        |
|       | 1.8                    |                 | 9        | 9                         | Firm                 | Claw   |
|       |                        | 2               | а        | а                         | FILM                 | Clay   |
|       | 2.0                    | 4               |          |                           |                      |        |
|       | 2.1 2.2                | 3               | 10       | 10                        | Firm                 | Clay   |
|       | 2.3                    | 4               | 10       | 10                        |                      | Cidy   |
|       | 2.4                    | 4               |          |                           |                      |        |
|       | 2.5                    | 4               | 11       | 10                        | Firm                 | Clay   |
|       | 2.6                    | 3               |          |                           |                      |        |
|       | 2.7                    | 4               |          |                           |                      | cl.    |
|       | 2.8 2.9                | 4 4             | 12       | 11                        | Firm                 | Clay   |
|       | 3.0                    | 6               |          |                           |                      |        |
|       | 3.1                    | 6               | 17       | 16                        | Stiff                | Clay   |
|       | 3.2                    | 5               | <u> </u> |                           |                      | ′      |
|       | 3.3                    | 5               |          |                           |                      |        |
|       | 3.4                    | 6               | 16       | 15                        | Firm to Stiff        | Clay   |
|       | 3.5                    | 5               |          |                           |                      |        |
|       | 3.6<br>3.7             | 4               | 13       | 12                        | Firm                 | Clay   |
|       | 3.7                    | 5               | 13       | 12                        |                      | Cidy   |
|       | 3.9                    | 5               |          | 1                         | 1                    |        |
|       | 4.0                    | 6               | 18       | 19                        | Stiff                | Clay   |
|       | 4.1                    | 7               |          |                           |                      |        |
|       | 4.2                    | 7               | 27       | 20                        | C+:EE                | Clay   |
|       | 4.3                    | 10<br>10        | 27       | 29                        | Stiff                | Clay   |
|       | 4.4                    | 10              |          |                           |                      |        |
|       | 4.6                    | 11              | 32       | 34                        | Very Stiff           | Clay   |
|       | 4.7                    | 10              |          |                           |                      |        |
|       | 4.8                    | 10              |          |                           |                      |        |
|       | 4.9                    | 10              | 31       | 33                        | Very Stiff           | Clay   |
|       | 5.0                    | 11<br>11        |          |                           |                      |        |
|       | 5.2                    | 11              | 37       | 37 40                     | Very Stiff           | Clay   |
|       | 5.3                    | 14              |          |                           | - ,                  |        |
|       | 5.4                    | 14              |          |                           |                      |        |
|       | 5.5                    | 10              | 34       | 37                        | Very Stiff           | Clay   |
|       | 5.6                    | 10              |          |                           |                      |        |
|       | 5.7                    | 10              | 76       | 28                        | Stiff                | Clay   |
|       | 5.8                    | 8               | 26       | 20                        | 500                  | Cidy   |
|       | 6.0                    | 11              |          | 1                         |                      |        |
|       | 6.1                    | 9               | 29       | 35                        | Very Stiff           | Clay   |
|       | 6.2                    | 9               |          |                           |                      |        |
|       | 6.3                    | 8               | 25       | 20                        | Chill be March Chill | ch     |
|       | 6.4                    | 8               | 25       | 30                        | Stiff to Very Stiff  | Clay   |
|       | 6.5<br>6.6             | 9               |          |                           |                      |        |
|       | 6.7                    | 8               | 26       | 31                        | Very Stiff           | Clay   |
|       | 6.8                    | 9               | 1        |                           |                      |        |
|       | 6.9                    | 9               |          |                           |                      |        |
|       | 7.0                    | 9               | 25       | 30                        | Stiff to Very Stiff  | Clay   |
|       | 7.1 7.2                | 7               |          |                           |                      |        |
|       | 7.3                    | 6               | 18       | 22                        | Very Weak            | Chalk  |
|       | 7.4                    | 6               |          |                           | very weak            | Chain  |
|       | 7.5                    | 7               |          |                           |                      |        |
|       | 7.6                    | 7               | 22       | 26                        | Weak                 | Chalk  |
|       | 7.7                    | 8               |          |                           |                      |        |
|       | 7.8                    | 8               | 27       | 32                        | Weak                 | Chalk  |
|       | 8.0                    | 8               | 21       | 32                        | vvedK                | Cridik |
|       | 8.1                    | 11              |          | 1                         |                      |        |
|       | 8.2                    | 10              | 32       | 39                        | Weak                 | Chalk  |
|       | 8.3                    | 11              |          |                           |                      |        |
|       | 8.4                    | 10              |          |                           |                      | ch. "  |
|       | 8.5                    | 9               | 28       | 34                        | Weak                 | Chalk  |
|       | 8.6                    | 9               |          |                           |                      |        |
|       | 8.8                    | 8               | 26       | 31                        | Weak                 | Chalk  |
|       | 8.9                    | 9               |          |                           |                      |        |
|       | 9.0                    | 9               |          |                           |                      |        |
|       | 9.1                    | 7               | 23       | 28                        | Weak                 | Chalk  |
|       | 9.2                    | 7               |          |                           |                      |        |
|       | 9.3                    | 7               | 20       | 24                        | Von                  | Challe |
|       | 9.4<br>9.5             | 6               | 20       | 24                        | Very Weak            | Chalk  |
|       | 9.5                    | 7 8             |          |                           |                      |        |
|       |                        |                 | 23       | 28                        | Weak                 | Chalk  |
|       | 9.7                    | 8               | 23       |                           |                      |        |
|       | 9.7<br>9.8             | 8               | 25       | 20                        | Weak                 | Chaik  |

$$N_{60} = \frac{E_m C_B C_S C_R N}{0.60}$$

| E <sub>m</sub> (Hammer Energy Transfer)               | 0.76 |            |
|---|------|------------|
| C <sub>B</sub> (Correction of Borehole Diameter)      | 1.00 |            |
| C <sub>s</sub> (Correction of Sampling Method Factor) | 1.00 |            |
| C <sub>∞</sub> (Correction of Rod Length)             |      | Rod length |
| C <sub>R</sub> (Correction of Rod Length)             | 0.75 | < 4m       |
|   | 0.85 | 4 - 6m     |
|   | 0.95 | 6 - 10m    |
|   | 1.00 | > 10m      |

Interpretated a change to chalk due to an area of softer strata that correlates across the investigation, this is taken as the weathered chalk surface

|       | Death below excured (m)       | Blaus and 100mm       | SPT 'N' | Corrected N <sub>60</sub> | Classification | Chunta  | l  |
|-------|-------------------------------|-----------------------|---------|---------------------------|----------------|---------|--|
| DP303 | Depth below ground (m)<br>1.2 | Blows per 100mm<br>15 | SPT 'N' | Corrected N <sub>60</sub> | Classification | Strata  | ЕСССИ  |
|       | 1.3                           | 10                    | 35      | 33                        | Very Stiff     | Clay    | $N_{60} = \frac{E_m C_B C_S C_R N}{0.60}$  |
|       | 1.4                           | 10                    |         |                           |                |         | $N_{60} = -0.60$   |
|       | 1.5                           | 10<br>9               | 28      | 27                        | Stiff          | Clay    | 0.00   |
|       | 1.6                           | 9                     | 28      | 27                        | 500            | Cidy    |  |
|       | 1.8                           | 8                     |         |                           |                |         | E <sub>m</sub> (Hammer Energy Transfer)  |
|       | 1.9                           | 8                     | 25      | 24                        | Stiff          | Clay    | C <sub>B</sub> (Correction of Borehole Diameter)   |
|       | 2.0                           | 9                     |         |                           |                |         | C <sub>s</sub> (Correction of Sampling Method Factor)  |
|       | 2.1                           | 9                     |         |                           |                |         | C <sub>R</sub> (Correction of Rod Length)  |
|       | 2.2                           | 10                    | 28      | 27                        | Stiff          | Clay    |  |
|       | 2.3 2.4                       | 9<br>10               |         |                           |                |         |  |
|       | 2.4                           | 10                    | 30      | 29                        | Stiff          | Clay    |  |
|       | 2.6                           | 10                    |         |                           |                |         |  |
|       | 2.7                           | 10                    |         |                           |                |         |  |
|       | 2.8                           | 8                     | 27      | 26                        | Stiff          | Clay    |  |
|       | 3.0                           | 10                    |         |                           |                |         |  |
|       | 3.1                           | 9                     | 27      | 26                        | Stiff          | Clay    |  |
|       | 3.2                           | 8                     |         |                           |                |         |  |
|       | 3.3<br>3.4                    | 8                     | 25      | 24                        | Stiff          | Clay    |  |
|       | 3.4                           | 9                     | 25      | 24                        | 500            | Cidy    |  |
|       | 3.6                           | 9                     |         |                           |                |         |  |
|       | 3.7                           | 8                     | 26      | 25                        | Stiff          | Clay    |  |
|       | 3.8<br>3.9                    | 9                     |         |                           |                |         |  |
|       | 4.0                           | 8                     | 25      | 27                        | Stiff          | Clay    |  |
|       | 4.1                           | 8                     |         |                           |                |         |  |
|       | 4.2                           | 9                     |         |                           |                | -       |  |
|       | 4.3 4.4                       | 10<br>10              | 29      | 31                        | Very Stiff     | Clay    |  |
|       | 4.5                           | 9                     |         |                           |                |         |  |
|       | 4.6                           | 9                     | 26      | 28                        | Stiff          | Clay    |  |
|       | 4.7                           | 8                     |         |                           |                |         |  |
|       | 4.8                           | 8                     | 25      | 27                        | Stiff          | Clay    |  |
|       | 5.0                           | 9                     |         |                           |                | ,       |  |
|       | 5.1                           | 10                    |         |                           |                |         |  |
|       | 5.2<br>5.3                    | 10<br>10              | 30      | 32                        | Very Stiff     | Clay    |  |
|       | 5.4                           | 9                     |         |                           |                |         |  |
|       | 5.5                           | 9                     | 26      | 28                        | Stiff          | Clay    |  |
|       | 5.6                           | 8                     |         |                           |                |         |  |
|       | 5.7                           | 9                     | 27      | 29                        | Stiff          | Clay    |  |
|       | 5.9                           | 9                     |         | 25                        | 5411           | ciay    |  |
|       | 6.0                           | 9                     |         |                           |                |         |  |
|       | 6.1                           | 10                    | 29      | 35                        | Very Stiff     | Clay    |  |
|       | 6.2                           | 10                    |         |                           |                |         |  |
|       | 6.4                           | 8                     | 28      | 34                        | Very Stiff     | Clay    |  |
|       | 6.5                           | 10                    |         |                           | -              |         |  |
|       | 6.6<br>6.7                    | 16<br>19              | 62      | 75                        | Hard           | Clay    |  |
|       | 6.8                           | 27                    | 02      | ,,,                       | naru           | Ciay    |  |
|       | 6.9                           | 16                    |         |                           |                |         |  |
|       | 7.0                           | 16                    | 43      | 52                        | Very Stiff     | Clay    |  |
|       | 7.1 7.2                       | 11 11                 |         |                           |                |         |  |
|       | 7.3                           | 10                    | 31      | 37                        | Very Stiff     | Clay    |  |
|       | 7.4                           | 10                    |         |                           |                | -       |  |
|       | 7.5<br>7.6                    | 10 8                  | 26      | 31                        | Weak           | Chalk   | Interpretated a change to chalk due to an area of<br>softer strata that correlates across the investigation, |
|       | 7.8                           | 8                     | 20      | 21                        | Weak           | Chaik   | this is taken as the weathered chalk surface   |
|       | 7.8                           | 9                     |         |                           |                |         |  |
|       | 7.9                           | 23                    | 51      | 61                        | Weak           | Chalk   |  |
|       | 8.0<br>8.1                    | 19<br>19              |         |                           |                |         |  |
|       | 8.2                           | 20                    | 61      | 73                        | Weak           | Chalk   |  |
|       | 8.3                           | 22                    | [       |                           |                |         |  |
|       | 8.4                           | 21                    | 6       | 76                        | 14/            | Ch - 11 |  |
|       | 8.5<br>8.6                    | 22 20                 | 63      | 76                        | Weak           | Chalk   |  |
|       | 8.0                           | 18                    |         |                           |                |         |  |
|       | 8.8                           | 22                    | 60      | 72                        | Weak           | Chalk   |  |
|       | 8.9                           | 20                    |         | I                         |                | 1       |  |

0.76 1.00 1.00

0.75 0.85 0.95 1.00

Rod length < 4m 4 - 6m 6 - 10m

> 10

| DP304  | Depth below ground (m) | Blows per 100mm | SPT 'N' | Corrected N <sub>60</sub> | Classification | Strata |
|--------|------------------------|-----------------|---------|---------------------------|----------------|--------|
| DF 304 | 1.2                    | 2               |         |                           |                |        |
|        | 1.3                    | 2               | 8       | 8                         | Soft to Firm   | Clay   |
|        | 1.4                    | 4               |         |                           |                |        |
|        | 1.5                    | 4               |         |                           |                |        |
|        | 1.6                    | 6               | 17      | 16                        | Stiff          | Clay   |
|        | 1.7                    | 7               |         |                           |                |        |
|        | 1.8                    | 10              |         |                           |                |        |
|        | 1.9                    | 16              | 53      | 50                        | Very Stiff     | Clay   |
|        | 2.0                    | 27              |         |                           |                |        |
|        | 2.1                    | 50              | 50      | 48                        | Very Stiff     | Clay   |

$$N_{60} = \frac{E_m C_B C_S C_R N}{0.60}$$

| E <sub>m</sub> (Hammer Energy Transfer)               | 0.76 |            |
|---|------|------------|
| C <sub>B</sub> (Correction of Borehole Diameter)      | 1.00 |            |
| C <sub>s</sub> (Correction of Sampling Method Factor) | 1.00 |            |
| C <sub>R</sub> (Correction of Rod Length)             |      | Rod length |
| CR (Correction of Rod Lengar)                         | 0.75 | < 4m       |
|   | 0.85 | 4 - 6m     |
|   | 0.95 | 6 - 10m    |
|   | 1.00 | > 10m      |

| DP305  | Depth below ground (m) | Blows per 100mm | SPT 'N' | Corrected N <sub>60</sub> | Classification | Strata       |
|--------|------------------------|-----------------|---------|---------------------------|----------------|--------------|
| DF 303 | 1.2<br>1.3             | 7 8             | 23      | 22                        | Stiff          | Clay         |
|        | 1.4<br>1.5             | 8               |         |                           |                |              |
|        | 1.6                    | 4               | 15      | 14                        | Firm           | Clay         |
|        | 1.8                    | 5               | 17      | 16                        | Stiff          | Clay         |
|        | 2.0                    | 6 8             | 26      | 25                        | C+15           | <u>c</u> lau |
|        | 2.2                    | 9 9             | 26      | 25                        | Stiff          | Clay         |
|        | 2.4<br>2.5<br>2.6      | 10<br>10<br>10  | 30      | 29                        | Stiff          | Clay         |
|        | 2.7                    | 9               | 26      | 25                        | Stiff          | Clay         |
|        | 2.9                    | 8               |         |                           |                | ,            |
|        | 3.1<br>3.2             | 9<br>7          | 25      | 24                        | Stiff          | Clay         |
|        | 3.3<br>3.4             | 7 8             | 23      | 22                        | Stiff          | Clay         |
|        | 3.5                    | 8 7             |         |                           | 0.155          |              |
|        | 3.7                    | 8               | 23      | 22                        | Stiff          | Clay         |
|        | 3.9<br>4.0<br>4.1      | 8<br>9<br>7     | 24      | 26                        | Stiff          | Clay         |
|        | 4.2                    | 7 7 7           | 24      | 26                        | Stiff          | Clay         |
|        | 4.4                    | 10<br>10        |         |                           |                |              |
|        | 4.6<br>4.7             | 10<br>8         | 28      | 30                        | Stiff          | Clay         |
|        | 4.8<br>4.9             | 8<br>8          | 25      | 27                        | Stiff          | Clay         |
|        | 5.0<br>5.1             | 9<br>9          | 29      | 31                        | Stiff          | Clay         |
|        | 5.2<br>5.3<br>5.4      | 10<br>10<br>8   | 29      | 31                        | Stiff          | Clay         |
|        | 5.4<br>5.5<br>5.6      | 9<br>9          | 26      | 28                        | Stiff          | Clay         |
|        | 5.7                    | 9               | 26      | 28                        | Stiff          | Clay         |
|        | 5.9<br>6.0             | 8               |         |                           |                | ,            |
|        | 6.1<br>6.2             | 6<br>7          | 21      | 25                        | Stiff          | Clay         |
|        | 6.3<br>6.4             | 7 7             | 21      | 25                        | Stiff          | Clay         |
|        | 6.5<br>6.6             | 7 8 7           | 22      | 26                        | C+15           | <u>c</u> lau |
|        | 6.7<br>6.8<br>6.9      | 7<br>7<br>7     | 22      | 26                        | Stiff          | Clay         |
|        | 7.0                    | 7 6             | 20      | 24                        | Stiff          | Clay         |
|        | 7.2                    | 6               | 16      | 19                        | Very Weak      | Chalk        |
|        | 7.4 7.5                | 5<br>5          |         |                           |                |              |
|        | 7.6                    | 6               | 17      | 20                        | Very Weak      | Chalk        |
|        | 7.8                    | 5               | 15      | 18                        | Very Weak      | Chalk        |
|        | 8.0<br>8.1<br>8.2      | 5<br>6<br>6     | 19      | 23                        | Very Weak      | Chalk        |
|        | 8.2<br>8.3<br>8.4      | 7 7             | 15      | 25                        | Very Weak      | Chaik        |
|        | 8.5<br>8.6             | 6               | 19      | 23                        | Very Weak      | Chalk        |
|        | 8.7<br>8.8             | 6<br>6          | 18      | 22                        | Very Weak      | Chalk        |
|        | 8.9<br>9.0             | 6 8             |         |                           |                |              |
|        | 9.1 9.2                | 8<br>10         | 26      | 31                        | Weak           | Chalk        |
|        | 9.3<br>9.4<br>9.5      | 10<br>11<br>12  | 33      | 40                        | Weak           | Chalk        |
|        | 9.6                    | 11<br>11<br>10  | 30      | 38                        | Weak           | Chalk        |
|        | 9.8<br>9.9             | 9<br>10         |         |                           |                |              |
|        | 10.0<br>10.1           | 12<br>12        | 34      | 43                        | Weak           | Chalk        |
|        | 10.2<br>10.3           | 14<br>16        | 46      | 58                        | Weak           | Chalk        |
|        | 10.4<br>10.5           | 16<br>12<br>11  | 33      | 42                        | Weak           | Chalk        |
|        | 10.6<br>10.7<br>10.8   | 11<br>10<br>11  | 22      | 42                        | vveaK          | CIIdIK       |
|        | 10.8<br>10.9<br>11.0   | 11<br>11<br>10  | 32      | 41                        | Weak           | Chalk        |
|        | 11.1<br>11.2           | 10<br>9         | 27      | 34                        | Weak           | Chalk        |
|        | 11.3<br>11.4           | 8               |         |                           |                |              |
|        | 11.5<br>11.6           | 7<br>7          | 22      | 28                        | Weak           | Chalk        |
|        | 11.7<br>11.8           | 6               | 18      | 23                        | Very Weak      | Chalk        |
|        | 11.9<br>12.0           | 6 8             | ~       | 22                        |                | C1-11        |
|        | 12.1<br>12.2           | 9               | 26      | 33                        | Weak           | Chalk        |

$$N_{60} = \frac{E_m C_B C_S C_R N}{0.60}$$

| E <sub>m</sub> (Hammer Energy Transfer)               | 0.76 |            |
|---|------|------------|
| C <sub>B</sub> (Correction of Borehole Diameter)      | 1.00 |            |
| C <sub>s</sub> (Correction of Sampling Method Factor) | 1.00 |            |
| C <sub>R</sub> (Correction of Rod Length)             |      | Rod length |
| CR (Correction of Rod Length)                         | 1.00 | < 4m       |
|   | 0.85 | 4 - 6m     |
|   | 0.95 | 6 - 10m    |
|   | 1.00 | > 10m      |

Interpretated a change to chalk due to an area of softer strata that correlates across the investigation, this is taken as the weathered chalk surface

| DP305     | Depth below ground (m) | Blows per 100mm | SPT 'N' | Corrected N <sub>60</sub> | Classification | Strata |
|-----------|------------------------|-----------------|---------|---------------------------|----------------|--------|
|           | 12.3                   | 11              |         |                           |                |        |
| Continued | 12.4                   | 16              | 39      | 49                        | 9 Weak         | Chalk  |
|           | 12.5                   | 12              |         |                           |                |        |
|           | 12.6                   | 12              |         |                           |                |        |
|           | 12.7                   | 14              | 40      | 51                        | Weak           | Chalk  |
|           | 12.8<br>12.9           | 14<br>14        |         |                           |                |        |
|           | 13.0                   | 14              | 48      | 61                        | Weak           | Chalk  |
|           | 13.0                   | 18              | 40      | 01                        | Weak           | Chair  |
|           | 13.2                   | 10              |         |                           |                |        |
|           | 13.3                   | 14              | 43      | 54                        | Weak           | Chalk  |
|           | 13.4                   | 15              |         |                           |                |        |
|           | 13.5                   | 18              |         |                           |                |        |
|           | 13.6                   | 18              | 53      | 67                        | Weak           | Chalk  |
|           | 13.7                   | 17              |         |                           |                |        |
|           | 13.8<br>13.9           | 16<br>16        | 49      | 62                        | Weak           | Chalk  |
|           | 14.0                   | 10              | 45      | 02                        | WEak           | Clidik |
|           | 14.0                   | 17              |         |                           |                |        |
|           | 14.2                   | 18              | 53      | 67                        | Weak           | Chalk  |
|           | 14.3                   | 18              | 1       |                           |                |        |
|           | 14.4                   | 18              |         |                           |                |        |
|           | 14.5                   | 20              | 58      | 73                        | Weak           | Chalk  |
|           | 14.6                   | 20              |         |                           |                |        |
|           | 14.7                   | 14              |         |                           | Mar1-          | Ch-III |
|           | 14.8<br>14.9           | 14              | 40      | 51                        | Weak           | Chalk  |
|           | 14.9                   | 12              |         |                           |                |        |
|           | 15.0                   | 17              | 51      | 65                        | Weak           | Chalk  |
|           | 15.2                   | 19              |         | 05                        | Weak           | Chair  |
|           | 15.3                   | 19              |         |                           |                |        |
|           | 15.4                   | 20              | 59      | 75                        | Weak           | Chalk  |
|           | 15.5                   | 20              |         |                           |                |        |
|           | 15.6                   | 19              |         |                           |                | Chalk  |
|           | 15.7                   | 18              | 55      | 70                        | Weak           |        |
|           | 15.8                   | 18              |         |                           |                |        |
|           | 15.9                   | 19              | 84      | 106                       | Moderatly Weak | Chalk  |
|           | 16.0                   | 20<br>45        | 64      | 106                       |                |        |
|           | 16.1<br>16.2           | 43              |         |                           |                |        |
|           | 16.3                   | 22              | 64      | 81                        | Weak           | Chalk  |
|           | 16.4                   | 20              |         |                           |                |        |
|           | 16.5                   | 18              |         |                           |                |        |
|           | 16.6                   | 18              | 55      | 70                        | Weak           | Chalk  |
|           | 16.7                   | 19              |         |                           |                |        |
|           | 16.8                   | 16              |         |                           |                |        |
|           | 16.9                   | 16              | 47      | 60                        | Weak           | Chalk  |
|           | 17.0                   | 15              |         |                           |                |        |
|           | 17.1                   | 14              | 40      | 51                        | Weak           | Chalk  |
|           | 17.2                   | 12              | 40      | 51                        | Weak           | Chair  |
|           | 17.4                   | 12              |         |                           |                | Chalk  |
|           | 17.5                   | 12              | 38      | 48                        | Weak           |        |
|           | 17.6                   | 14              |         |                           |                |        |
|           | 17.7                   | 14              |         |                           |                |        |
|           | 17.8                   | 12              | 38      | 48                        | Weak           | Chalk  |
|           | 17.9<br>18.0           | 12<br>14        |         |                           |                |        |
|           | 18.0                   | 14              | 45      | 57                        | Weak           | Chalk  |
|           | 18.1                   | 14              | 4.5     | 57                        | WCan           | Clidik |
|           | 18.3                   | 17              |         |                           |                |        |
|           | 18.4                   | 17              | 56      | 71                        | Weak           | Chalk  |
|           | 18.5                   | 22              | 1       |                           |                |        |
|           | 18.6                   | 21              |         |                           |                |        |
|           | 18.7                   | 21              | 61      | 77                        | Weak           | Chalk  |
|           | 18.8                   | 19              |         |                           |                |        |
|           | 18.9                   | 24              | 62      | 79                        | Weak           | Chalk  |
|           | 19<br>19.1             | 19<br>19        | 02      | /9                        | weak           | CHAIK  |
|           | 19.1                   | 19<br>18        |         |                           |                |        |
|           | 19.2                   | 16              | 50      | 63                        | Weak           | Chalk  |
|           | 19.4                   | 16              | 1       |                           |                |        |
|           | 19.5                   | 14              | l       |                           |                |        |
|           | 19.6                   | 17              | 45      | 57                        | Weak           | Chalk  |
|           | 19.7                   | 14              |         |                           |                |        |
|           | 19.8                   | 14              | 29      | 37                        | Weak           | Chalk  |
|           | 19.9                   | 15              |         | 5;                        |                |        |



**Opus International Consultants (UK) Ltd** 1 South House Bond Avenue Milton Keynes, MK1 1SW United Kingdom

t: +44 1908373383 w: www.opusinternational.co.uk

Registered in England & Wales, Company Reg. No: 2847568 Reg Office: Willow House, Brotherswood Court Great Park Road, Bristol, BS32 4QW