


County Map showing location of LANDSCAPE CHARACTER AREA

©Crown copyright .All rights reserved.
Hertfordshire County Council
100019606 2004



LOCATION

Extensive plateau south of Reed extending east to Barkway and the B1368 and west towards Green End and Mill End Incorporates the villages of Buckland and Chipping.

LANDSCAPE CHARACTER

Large, open and elevated plateau with the village of Buckland in the centre and bisected in the middle by the roman road, Ermine Street (now the A10). Quiet area with few features, dominated by large arable fields with no hedgerows giving an unusual prairie-like character to the area. There are extensive views within and across the plateau. The spire of Buckland church is a prominent feature at the highest point in the centre of the plateau. Small pockets of pasture exist within and around Buckland and Chipping. The River Rib runs through the western side of the area but is rarely noticeable other than at Buckland Bottom where a dense belt of tree and shrub vegetation creates a locally strong feature. A mature lime avenue extends between Buckland and west of Hodenhoe Manor

and several new avenues have been planted in the area.

KEY CHARACTERISTICS

- gently undulating elevated plateau
- open arable landscape with large fields
- very few hedgerows or defining boundaries
- small pockets of pasture within and around the villages of Buckland and Chipping
- cluster of farms in the village of Buckland but few elsewhere
- lime avenues

DISTINCTIVE FEATURES

- Buckland church spire
- mature lime avenue between Buckland and west of Hodenhoe Manor
- Buckland Bottom belt of vegetation adjacent to the River Rib
- Capons Wood on the south-eastern edge
- Ermine Street roman road (now the A10)



• Road to Buckland (HCC Landscape Unit)

PHYSICAL INFLUENCES

Geology and soils. Anglian boulder clay overlying chalk dominates most of the plateau and the soils are typically slowly permeable calcareous clays (Hanslope series). A small area on the eastern side has loamy soils over chalky till (Melford series). At Biggin Moor and west of Buckland, post-glacial erosion has exposed underlying clay-with-flints, which gives a more neutral or mildly acidic soil type, while chalk is also exposed in these areas. At Chipping and Biggin Manor there are also glacial sands and gravels in small areas. Narrow deposits of alluvium also exist along the course of the River Rib at Buckland Bottom and in the headwaters of the River Quin at Biggin Manor. Biggin Moor springs arise from the chalk and form a unique peat dome deposit.

Topography. A gently undulating elevated plateau including a shallow valley around the upper reaches of the River Rib on the west side and shallow valleys around upper tributaries of the River Quin on the east side. The highest point of the plateau is marked by the village of Buckland.

Degree of slope. Slopes are typically between 1 in 20 and 1 in 30. Around Mill Hill (west of Chipping) they increase to 1 in 10 and around Reed Wood and Southfield Grove they reduce to around 1 in 70.

Altitude range. The altitude varies from a high point of 140m in Buckland to a low point of 100m south of Chipping. Other high points include Capons Wood at 136m and Mill Hill at 125m.

Hydrology. The plateau is drained by a series of small ditches. The east side of the plateau drains into the River Quin and the west side drains in to the upper reaches of the River Rib. The ditches and streams are rarely marked by vegetation and are therefore often difficult to identify from a distance. The River Rib is heavily affected by arable runoff, and the area has few ponds, except for Daws Lane Common pond at Buckland, and woodland pools of probably great age in the remnant of Capons Wood, Dades's Wood and Brandish Wood.

Land cover and land use. The plateau is dominated by large open, arable fields with few hedgerows resulting in an open prairie-like landscape. This pattern of land use, together with the cropmark evidence of cultivation from the Late Iron Age or Roman period onwards, suggests that woodland has not been a significant component in the landscape since a very early date. Mature vegetation is therefore scarce other than Capons Wood to the south and three other smaller woods: Dades's Wood, Burhill Wood and Brandish Wood and a tree belt adjacent to the River Rib at Buckland Bottom. Small areas of pasture are present within the village of Buckland, and hedgerows (particularly hawthorn) are also more common within the village.

Vegetation and wildlife. Semi-natural vegetation is severely limited, most of the area being intensive, very open arable farmland. There were formerly extensive plateau woodlands south of Buckland, but the only remnant is a small part of Capons Wood, which is wet ash/maple former coppice-with-standards woodland. Remnant woodland flora persists in some hedgebanks and some old tracksides. There are also remnant fragments of ash/maple

woodland at Brandish and Burhill Woods, also remnants of formerly larger woods, as well as beside the Rib at Buckland Bottom. Biggin Moor springs, although somewhat degraded, remain a unique peat fen, with some alder woodland, damp scrub and rough tall fen. Neutral grassland remains only at Buckland churchyard and Daws Lane Common. Its pond is of some local interest.

Biggin Moor retains locally rare plants, such as Marsh Valerian, Purple Moor-grass, Blunt-flowered Rush and Marsh Pennywort. Thin-spiked Wood Sedge and Great Bellflower survived the felling of woodland at Buckland. The open arable fields however can support uncommon bird species, such as Yellow Wagtails in rape fields.

HISTORICAL AND CULTURAL INFLUENCES

While the present day settlement pattern is medieval in origins there are indications of late Neolithic or early Bronze Age occupation activity, the plateau is bisected by the Roman road Ermine Street (the A10), and there is evidence for Late Iron Age and Romano-British exploitation of the landscape. While the evidence for habitation is limited, cropmarks indicate early field systems of Late Iron Age or Romano-British, and medieval dates, particularly in the central and southern part of the area.

The major present day settlements within the area are Buckland and Chipping, both situated on Ermine Street, and both pre-Conquest in origin. Chipping is an interesting example of a failed market settlement. The name is an Anglo-Saxon word for 'market', and its market status is documented in the mid-13th century. By 1360, following crop failures and the Black Death, the site was 'vacant' and the market was formally transferred to Buntingford. The remainder of the area contains a sparse network of dispersed farmsteads and houses which again reflects a settlement pattern established in the medieval period, and provides some evidence of settlement shift and decline. Medieval moated sites are known at Hodenhoe Manor, north of Burhill Wood, and at Buckland (Bull Moat, north of the village, and south of the church).

Field Patterns. Fields units are typically large, a fact that is visually emphasised by the lack of hedgerows and other enclosing features. The field systems of the area were originally mainly pre-18th century unenclosed common arable fields, and smaller 'irregular' enclosure fields, though some field blocks north and east of Capons Wood, and west of Buckland Bottom, display a more mixed origin. Small areas of these 'irregular' enclosure field systems survive to the west and east of Buckland and at the northern end of the area, but the most of these pre-18th century field systems have been superseded by 18th century and later enclosure, and the greater part of the plateau is now primarily 20th century 'prairie' fields some of which are enormous. Former extensive pastures at Buckland were destroyed in the 1970's.

Transport pattern. The roman road, Ermine Street (now the A10), is the dominant road within the area and passes across the middle of the plateau in a north-south direction. This is a busy trunk road but is relatively narrow and undulating despite its importance. Road traffic produces a

continual background noise which is audible from much of the surrounding area. Elsewhere on the plateau, roads are quiet and infrequent. A narrow, minor road on the east side provides a route between Barkway and Buckland and a further minor road on the west side provides a winding route between Buckland and Sandon or Hay Green. Road verges throughout the area are generally narrow.

Settlements and built form. The area contains the two ancient villages of Buckland and Chipping both of which are situated on the Roman road of Ermine Street. Buckland which distinctively stands on a hill was listed in the Domesday Book as 'Bochelande'. Both settlements now contain a mix of vernacular and twentieth century buildings. Buckland has an attractive 14th century church, St Andrews, and a fine early Georgian house of chequered brick known as Buckland House. Unusually, the village of Buckland contains a concentration of farms located around a central area of pasture. The settlement of Chipping is smaller and more linear in form with housing either side of Ermine Street.

OTHER SOURCES OF AREA-SPECIFIC INFORMATION

Pevsner, N., rev. Cherry, B., Hertfordshire, Penguin (2000)
Rook, T, A History of Hertfordshire, Phillimore and Co Ltd (1997)

- Arable plateau east of Buckland (HCC Landscape Unit)



VISUAL AND SENSORY PERCEPTION

The area has a remote and prairie-like character. It is a large-scale landscape, often feeling exposed and bare. Long distance views across the plateau are frequent with the spire of Buckland church forming a prominent and attractive feature in many views. Capons Wood (to the south of the area) also forms a significant feature on the horizon in views to the south. Along and adjacent to the A10, road traffic generates a continual background noise. However, elsewhere, the area is very quiet.

Rarity and distinctiveness. Within Hertfordshire the remote and prairie-like character of the area is both distinctive and rare

VISUAL IMPACT

Traffic on the A10 creates a significant visual impact locally. However generally, the plateau has a notable absence of features.

ACCESSIBILITY

Several footpath routes cross the plateau most of which radiate from Buckland or Chipping. This network of paths provides good access across the plateau for walkers. Access by bridlepath is much poorer with only one significant stretch of bridlepath in the area (between Mill Hill and Capons Wood).

COMMUNITY VIEWS

This area has some distinctive aspects [D]
 "Good for farmland birds" (Respondent 3134)

LANDSCAPE RELATED DESIGNATIONS

Areas of Archaeological Significance – including Buckland village and large area to the east of Chipping
 Other Sites of Ecological, Geological and Geomorphological importance or interest – including Hilly Wood and Burhill Wood

CONDITION

<i>Land cover change:</i>	localised
<i>Age structure of tree cover:</i>	mixed
<i>Extent of semi-natural habitat survival:</i>	scattered
<i>Management of semi-natural habitat:</i>	not obvious
<i>Survival of cultural pattern:</i>	interrupted
<i>Impact of built development:</i>	low
<i>Impact of land-use change:</i>	low

STRENGTH OF CHARACTER

<i>Impact of landform:</i>	dominant
<i>Impact of land cover:</i>	dominant
<i>Impact of historic pattern:</i>	apparent
<i>Visibility from outside:</i>	widely visible
<i>Sense of enclosure:</i>	open/exposed
<i>Visual unity:</i>	unified
<i>Distinctiveness/rarity:</i>	rare

CONDITION	GOOD	Strengthen and reinforce	Conserve and strengthen	Safeguard and manage
	MODERATE	Improve and reinforce	Improve and conserve	Conserve and restore
	POOR	Reconstruct	Improve and restore	Restore condition to maintain character
		WEAK	MODERATE	STRONG
STRENGTH OF CHARACTER				

STRATEGY AND GUIDELINES FOR MANAGING CHANGE: CONSERVE AND RESTORE

- encourage the reversal of habitat fragmentation and the creation and improvement of habitat links to create eco-corridors
 - protect remaining river valley habitats of significant nature conservation interest along the River Rib
 - encourage the establishment of wet native woodland along the River Rib including black poplar and pollarded willow
 - promote the restoration of hedge improvement and planting adjacent to rights of way, green lanes and along parish boundaries
 - ensure new planting is encouraged within the area particularly in and around the villages of Buckland and Chipping. Ensure landscape improvements respect the historic context of existing features. Ornamental species should only be used to replace damaged or over-mature specimens
 - ensure that design proposals for minor roads fit the grain of the local landscape both horizontally and vertically; avoid significant impact on the local field pattern and use only locally native tree and shrub species for associated planting. It should not be axiomatic to enclose any new or existing road with dense hedging on both sides – due reference should be made to local character and roads should be left open where appropriate
 - develop a strategy for the planting and management of the A10 corridor through the area that respects the historic setting and is in keeping with local character but minimizes the visual impact
 - promote both the creation of new ponds and the retention / enhancement for wildlife of existing ponds
 - ensure that the surroundings of converted and new buildings are designed and maintained to be in keeping with their surroundings by ensuring that hard landscape and 'Garden' details are screened from view where possible and native species are used for hedging and tree planting to the perimeter
 - protect and maintain the recently planted lime avenues within the area
- Lime avenue Whiteley Lane (HCC Landscape Unit)

